

VOLUME 18, 1981

Author Index / Index des auteurs

- Aitken, J.D., Ruelle, J.C., and Cook, D.G. Copper mineralization near an intra-Rapitan unconformity, Nite copper prospect, Mackenzie Mountains, Northwest Territories, Canada: Discussion, 410.
- Alam, M., and Piper, D.J.W. Detrital mineralogy and petrology of deep-water continental margin sediments off Newfoundland, 1336.
- Anglin, F.M., see Buchbinder, G.G.R., 693.
- Armstrong, J.E., see Hicock, S.R., 1443.
- Arthur, G.R., see Briden, J.C., 527.
- Ayres, L.D., see Clark, G.S., 94.
- Badham, J.P.N. Petrochemistry of late Aphebian (~1.8 Ga) calc-alkaline diorites from the East Arm of Great Slave Lake, N.W.T., Canada, 1018.
- Bailey, R.C., see Dickson, B.H., 1793.
- Bailey, R.C., see Greenhouse, J.P., 1268.
- Bald, R., see Clark, G.S., 94.
- Barbeau, C., Bougie, R., et Côté, J.-E. Variations spatiales et temporelles du césium-137 et du carbone dans les sédiments du fjord du Saguenay, 1004.
- Barbeau, C., Bougie, R., and Côté, J.-E. Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay fjord, 1065.
- Barker, J.F., and Fritz, P. The occurrence and origin of methane in some groundwater flow systems, 1802.
- Barnes, C.R., see Landing, E., 1609.
- Barr, S.M., and O'Beirne, A.M. Petrology of the Gillis Mountain pluton, Cape Breton Island, Nova Scotia, 395.
- Barr, S.M., see Papezik, V.S., 1346.
- Beaumont, C., see Quinlan, G., 1146.
- Beddoe-Stephens, B., and Lambert, R.S.J. Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rossland volcanic rocks, southern British Columbia, 858.
- Bell, J.S., see Gough, D.I., 638.
- Belt, E.S., and Bussi eres, L. Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City, 981.
- Berberian, M., and King, G.C.P. Towards a paleogeography and tectonic evolution of Iran, 210.
- Berberian, M., and King, G.C.P. Towards a paleogeography and tectonic evolution of Iran: Reply, 1764.
- Berger, G.W., and York, D. $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Thanet gabbro, Ontario: looking through the Grenvillian metamorphic veil and implications for paleomagnetism, 266.
- Berman, R.G., see Mathews, W.H., 662.
- Bernacsek, G.M., and Carroll, R.L. Semicircular canal size in fossil fishes and amphibians, 150.
- Bertrand, R., Desjardins, M., et K ubler, B. Application de l'analyse factorielle des correspondances aux gaz adsorb es de l'off-shore du Labrador, 509.
- Bertrand, R., et H eroux, Y. Carbone organique: indicateur potentiel de pal oenvironnements; deux exemples, 1838.
- Bertrand, R., see H eroux, Y., 1856.
- Birk, D., and McNutt, R.H. Geochronology of Wabigoon belt granitoids, northwestern Ontario: Rb/Sr isochrons for seven late-tectonic plutons, 157.
- Blackwood, R.F., see Dallmeyer, R.D., 1431.
- Bougie, R., see Barbeau, C., 1004.
- Bougie, R., see Barbeau, C., 1065.
- Brackett, R., see Clague, D., 469.
- Briden, J.C., and Arthur, G.R. Precision of measurement of remanent magnetization, 527.
- Brooks, C., see McCutcheon, S., 910.
- Brooks, C., and Theyer, P. Rb/Sr geochronology in the Thompson belt, Manitoba: implications for Aphebian crustal development and metallogenesis, 932.
- Brooks, C., Wardle, R.J., and Rivers, T. Geology and geochronology of Helikian magmatism, western Labrador, 1211.

- Brooks, C.K., Fawcett, J.J., Gittins, J., and Rucklidge, J.C. The Batbjerg complex, east Greenland: a unique ultrapotassic Caledonian intrusion, 274.
- Broster, B.E., see Hicock, S.R., 71.
- Brown, R.L., see Read, P.B., 1127.
- Brun, J.-P., see Gapaïs, D., 995.
- Buchan, K.L., and Schwarz, E.J. Uplift estimated from remanent magnetization: Munro area of Superior Province since 2150 Ma ago, 1164.
- Buchbinder, G.G.R., Anglin, F.M., et McNicoll, R. La sismicité provoquée au réservoir LG-2, 693.
- Burwash, R.A., and Cape, D.F. Petrology of the Fort Smith - Great Slave Lake radiometric high near Pilot Lake, N.W.T., 842.
- Bussi res, L., see Belt, E.S., 981.
- Bynoe, M.C., see Ongley, E.D., 1365.
- Cape, D.F., see Burwash, R.A., 842.
- Carroll, R.L., see Bernacsek, G.M., 150.
- Casey, J.F., and Kidd, W.S.F. A parallochthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland, 1035.
- Catto, N.R., Patterson, R.J., and Gorman, W.A. Late Quaternary marine sediments at Chalk River, Ontario, 1261.
- Cerven n, M.R., Vermeulen, F.E., and Chute, F.S. Thermal conductivity and specific heat of oil sand samples, 926.
- Chagnon, A., see H roux, Y., 1856.
- Champigny, N., Henderson, C.M., and Rouse, G.E. New evidence for the age of the Skonun Formation, Queen Charlotte Islands, British Columbia, 1900.
- Chandra, B., see Ellis, R.M., 1708.
- Charbonneau, J.-M., et St-Julien, P. Analyse structurale et relations d formation-m t morphisme, Group d'Oak Hill, r gion du mont Sainte-Marguerite, Appalaches du Qu bec, 1051.
- Chase, R.L., see Yorath, C.J., 1717.
- Churcher, C.S. Zebras (Genus *Equus*) from nine Quaternary sites in Kenya, East Africa, 330.
- Chute, F.S., see Cerven n, M.R., 926.
- Cimon, J., see Thorpe, R.I., 708.
- Clague, D., Rubin, J., and Brackett, R. The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec, 469.
- Clague, J.J. Landslides at the south end of Kluane Lake, Yukon Territory, 959.
- Clark, G.S., Bald, R., and Ayres, L.D. Geochronology of orthogneiss adjacent to the Archean Lake of the Woods greenstone belt, northwestern Ontario: a possible basement complex, 94.
- Clarke, G.K.C., and Mathews, W.H. Estimates of the magnitude of glacier outburst floods from Lake Donjek, Yukon Territory, Canada, 1452.
- Clifford, P.M., see Gower, C.F., 1075.
- Cocks, L.R.M., and Copper, P. The Ordovician-Silurian boundary at the eastern end of Anticosti Island, 1029.
- Cocks, L.R.M., see McKerrow, W.S., 751.
- Coles, R.L., Haines, G.V., and Hannaford, W. Broad-scale magnetic anomalies over central and eastern Canada: a discussion, 657.
- Connal, J., see H roux, Y., 1856.
- Cook, D.G., see Aitken, J.D., 410.
- Cooper, R.W., see Foote, M.P., 810.
- Copper, P., see Cocks, L.R.M., 1029.
- Cord sen, A., see Keen, C.E., 1523.
- C  t , J.-E., see Barbeau, C., 1004.
- C  t , J.-E., see Barbeau, C., 1065.
- Cumbaa, S.L., McAllister, D.E., and Morlan, R.E. Late Pleistocene fish fossils of *Coregonus*, *Stenodus*, *Thymallus*, *Catostomus*, *Lota*, and *Cottus* from the Old Crow basin, northern Yukon, Canada, 1740.
- Cumbaa, S.L., see McAllister, D.E., 1356.
- Currie, K.L., see Pickerill, R.K., 55.
- Currie, P.J. The vertebrae of *Youngina* (Reptilia: Eosuchia), 815.
- Dallmeyer, R.D., Blackwood, R.F., and Odom, A.L. Age and origin of the Dover Fault: tectonic boundary between the Gander and Avalon Zones of the northeastern Newfoundland Appalachians, 1431.
- Dallmeyer, R.D., Odom, A.L., O'Driscoll, C.F., and Hussey, E.M. Geochronology of the Swift Current granite and host volcanic rocks of the Love Cove Group, southwestern Avalon zone, Newfoundland: evidence of a late Proterozoic volcanic-subvolcanic association, 699.
- Dankers, P., and Lapointe, P. Paleomagnetism of Lower Cambrian volcanics and a cross-cutting Cambro-Ordovician diabase dyke from Buckingham (Quebec), 1174.
- Das, M., Thapar, R., Rajeshwar, K., and DuBow, J. Thermophysical characterization of oil sands: 3. Electrical properties, 742.
- David, P.P. Stabilized dune ridges in northern Saskatchewan, 286.
- DeLaurier, J.M., Plet, F.C., and Drury, M.J. A geomagnetic depth sounding profile across the northern Yukon and the Mackenzie Delta region, Canada, 1092.

- Desjardins, M., see Bertrand, R., 509.
- Deutsch, E.R., see Rao, K.V., 1187.
- Dickson, B.H., Bailey, R.C., and Grasty, R.L. Utilizing multi-channel airborne gamma-ray spectra, 1793.
- Dimroth, E., Woussen, G., and Roy, D.W. Geologic history of the Saguenay region, Quebec (Central Granulite Terrain of the Grenville Province): a working hypothesis, 1506.
- Doig, R., see Higgins, M.D., 561.
- Dreimanis, A., see Gwyn, Q.H.J., 584.
- Dreimanis, A., see Hicock, S.R., 71.
- Dressler, B. Post-tectonic igneous rocks: north-central Labrador geosyncline, 1758.
- Drury, M.J., see DeLaurier, J.M., 1092.
- DuBow, J., see Das, M., 742.
- Eisbacher, G.H., see Helmstaedt, H., 414.
- Ellis, R.M., and Chandra, B. Seismicity in the Mica Reservoir (McNaughton Lake) area: 1973-1978, 1708.
- Ellis, R.M., see Hyndman, R.D., 776.
- Evans, M.E., see Reid, A.B., 574.
- Ewing, T.E. Regional stratigraphy and structural setting of the Kamloops Group, south-central British Columbia, 1464.
- Ewing, T.E. Petrology and geochemistry of the Kamloops Group volcanics, British Columbia, 1478.
- Fåhræus, L.E., and Hunter, D.R. Paleocology of selected conodontophorid species from the Cobbs Arm Formation (middle Ordovician), New World Island, north-central Newfoundland, 1653.
- Fawcett, J.J., see Brooks, C.K., 274.
- Feininger, T. Amphibolite associated with the Thetford Mines Ophiolite Complex at Belmina Ridge, Quebec, 1878.
- Ferguson, A., and Osborn, G. Minimum age of deglaciation of upper Elk Valley, British Columbia, 1635.
- FitzGibbon, J.E. Thawing of seasonally frozen ground in organic terrain in central Saskatchewan, 1492.
- Foose, M.P., and Cooper, R.W. Faulting and fracturing in part of the Duluth complex, northeastern Minnesota, 810.
- Ford, D.C., see Gascoyne, M., 1643.
- Forsyth, D.A. Characteristics of the western Quebec seismic zone, 103.
- Fox, R.C. Mammals from the Upper Cretaceous Oldman Formation, Alberta. V. *Eodelphis* Matthew, and the evolution of the Stagodontidae (Marsupialia), 350.
- Fritz, P., see Barker, J.F., 1802.
- Fryer, B.J., see Gwyn, Q.H.J., 584.
- Fryer, B.J., see Kerrich, R., 624.
- Gadd, N.R. Glacial geology of Grand Manan Island, New Brunswick: Discussion, 176.
- Gadd, N.R. Late-glacial regional ice-flow patterns in eastern Ontario: Reply, 1390.
- Gahe, E., see Seguin, M.K., 1776.
- Gale, N.H., Spooner, E.T.C., and Potts, P.J. The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman, 1290.
- Gapais, D., and Brun, J.-P. A comparison of mineral grain fabrics and finite strain in amphibolites from eastern Finland, 995.
- Gascoyne, M., Ford, D.C., and Schwarcz, H.P. Late Pleistocene chronology and paleoclimate of Vancouver Island determined from cave deposits, 1643.
- Gaudette, H.E. Zircon isotopic age from the Union ultramafic complex, Maine, 405.
- Gauthier, G., see McCutcheon, S., 910.
- Geuer, J.W., and Hasegawa, H.S. A model for *P*-wave nodal solutions, 818.
- Gilbert, R., and Shaw, J. Sedimentation in proglacial Sunwapta Lake, Alberta, 81.
- Gittins, J., see Brooks, C.K., 274.
- Goodacre, A.K., see Kumarapeli, P.S., 680.
- Gorman, W.A., see Catto, N.R., 1261.
- Gough, D.I., and Bell, J.S. Stress orientations from oil-well fractures in Alberta and Texas, 638.
- Gower, C.F., and Clifford, P.M. The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario—a proposed type area for the Kenoran Orogeny, 1075.
- Grasty, R.L., see Dickson, B.H., 1793.
- Gravenor, C.P., and Leavitt, R.K. Experimental formation and significance of etch patterns on detrital garnets, 765.
- Green, A.G. Results of a seismic reflection survey across the fault zone between the Thompson nickel belt and the Churchill Tectonic Province, northern Manitoba, 13.
- Greenhouse, J.P., and Bailey, R.C. A review of geomagnetic variation measurements in the eastern United States: implications for continental tectonics, 1268.
- Guha, J., see Thorpe, R.I., 708.
- Gwyn, Q.H.J., Fryer, B.J., Dreimanis, A., and Reid, A.M. Chemical and X-ray diffraction analyses in tills of southern Ontario, 584.
- Hackbarth, D.A. Natural temporal variations in the chemistry of shallow groundwater, Athabasca Oil Sands area, Alberta, 1599.
- Haines, G.V., see Coles, R.L., 657.
- Håkanson, L. On lake bottom dynamics—the energy-topography factor, 899.
- Hall, R.L., and Stronach, N.J. First record of late Bajocian (Jurassic) ammonites in the Fernie Formation, Alberta, 919.

- Halls, H.C., and Palmer, H.C. Remagnetization in Keweenawan rocks. Part II: lava flows within the Copper Harbor Conglomerate, Michigan, 1395.
- Halls, H.C., see Palmer, H.C., 599.
- Hamblin, A.P., and Walker, R.G. Storm-dominated shallow marine deposits: the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains: Reply, 667.
- Hanmer, S. Tectonic significance of the northeastern Gander Zone, Newfoundland: an Acadian ductile shear zone, 120.
- Hannaford, W., see Coles, R.L., 657.
- Harakal, J.E., see Mathews, W.H., 662.
- Harrington, C.R., see McAllister, D.E., 1356.
- Harris, S.A. Distribution of active glaciers and rock glaciers compared to the distribution of permafrost landforms, based on freezing and thawing indices, 376.
- Hasegawa, H.S., see Geuer, J.W., 818.
- Haynes, S.J. Towards a paleogeography and tectonic evolution of Iran: Discussion, 1763.
- Hébert, R. Conglomérats polygéniques ophiolitiques: anciens éboulis de talus de fond océanique?, 619.
- Helmstaedt, H., Eisebacher, G.H., and McGregor, J.A. Copper mineralization near an intra-Rapitan unconformity, Nite copper prospect, Mackenzie Mountains, Northwest Territories, Canada: Reply, 414.
- Henderson, C.M., see Champigny, N., 1900.
- Henderson, C.M., and Perry, D.G. A Lower Jurassic heteropod bryozoan and associated biota, Turnagain Lake, British Columbia, 457.
- Héroux, Y., Bertrand, R., Chagnon, A., Connan, J., Pittion, J.-L., et Kübler, B. Évolution thermique et potentiel pétrologique par l'étude des kéroènes, des extraits organiques, des gaz adsorbés, des argiles, du sondage Karlsefni H-13 (offshore Labrador, Canada), 1856.
- Héroux, Y., see Bertrand, R., 1838.
- Heusser, C.J., and Heusser, L.E. Palynology and paleotemperature analysis of the Whidbey Formation, Puget Lowland, Washington, 136.
- Heusser, L.E., see Heusser, C.J., 136.
- Hicock, S.R., and Armstrong, J.E. Coquitlam Drift: a pre-Vashon Fraser glacial formation in the Fraser Lowland, British Columbia, 1443.
- Hicock, S.R., Dreimanis, A., and Broster, B.E. Submarine flow tills at Victoria, British Columbia, 71.
- Higgins, M.D., and Doig, R. The Sept Îles anorthosite complex: field relationships, geochronology, and petrology, 561.
- Hillaire-Marcel, C. Late-glacial regional ice-flow patterns in eastern Ontario: Discussion, 1385.
- Hiscott, R.N. Stratigraphy and sedimentology of the Late Proterozoic Rock Harbour Group, Flat Islands, Placentia Bay, Newfoundland Avalon Zone, 495.
- Hoimann, H.J., and Jinbiao, C. Carbonaceous megafossils from the Precambrian (1800 Ma) near Jixian, northern China, 443.
- Hogarth, D.D., see Lafleur, J., 1817.
- Howes, D.E. Late Quaternary sediments and geomorphic history of north-central Vancouver Island, 1.
- Huang, C.H., see Turek, A., 323.
- Hunter, D.R., see Fähræus, L.E., 1653.
- Huntley, D.J., and Wintle, A.G. The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments, 419.
- Hurley, P.M., and Shearer, C.K. Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England, 1248.
- Hussey, E.M., see Dallmeyer, R.D., 699.
- Hyndman, R.D., and Ellis, R.M. Queen Charlotte fault zone: microearthquakes from a temporary array of land stations and ocean bottom seismographs, 776.
- Irving, E., see Yole, R.W., 828.
- Ivanov, I.P., see Pluysnina, L.P., 1303.
- Jansa, L.F. Storm-dominated shallow marine deposits: the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains: Discussion, 665.
- Jessop, A.M., see Lewis, J.F., 366.
- Jinbiao, C., see Hofmann, H.J., 443.
- Johnson, M.E. Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island, 869.
- Johnson, P.G. The structure of a talus-derived rock glacier deduced from its hydrology, 1422.
- Johnson, S.Y. The Spieden Group: an anomalous piece of the Cordilleran paleogeographic puzzle, 1694.
- Jones, B. Atrypoida species from the Canadian Arctic islands, 1539.
- Karrow, P.F. Late-glacial regional ice-flow patterns in eastern Ontario: Discussion, 1386.
- Karrow, P.F., see Poplawski, S., 1497.
- Keen, C.E., and Cordsen, A. Crustal structure, seismic stratigraphy, and rift processes of the continental margin off eastern Canada: ocean bottom seismic refraction results off Nova Scotia, 1523.
- Kerrich, R., Fryer, B.J., Milner, K.J., and Peirce, M.G. The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario: a reconnaissance study, 624.
- Kevan, D.K.M., and Wighton, D.C. Paleocene orthopteroids from south-central Alberta, Canada, 1824.

- Kidd, W.S.F., see Casey, J.F., 1035.
- King, G.C.P., see Berberian, M., 210.
- King, G.C.P., see Berberian, M., 1764.
- Kobluk, D.R. Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec, 42.
- Kobluk, D.R. The record of cavity-dwelling (coelobiontic) organisms in the Paleozoic, 181.
- Kobluk, D.R. Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada, 669.
- Kobluk, D.R. Lower Cambrian cavity-dwelling endolithic (boring) sponges, 972.
- Kobluk, D.R. Middle Ordovician (Chazy Group) cavity-dwelling boring sponges, 1101.
- Kool, R. The walking speed of dinosaurs from the Peace River Canyon, British Columbia, Canada, 823.
- Kübler, B., see Héroux, Y., 1856.
- Kübler, B., see Bertrand, R., 509.
- Kumarapeli, P.S., Goodacre, A.K., and Thomas, M.D. Gravity and magnetic anomalies of the Sutton Mountains region, Quebec and Vermont: expressions of rift volcanics related to the opening of Iapetus, 680.
- Lafleur, J., and Hogarth, D.D. Cambro-Proterozoic volcanism near Buckingham, Quebec, 1817.
- Lake, J.H. Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec, 1562.
- Lal, T., see Singh, R.P., 382.
- Lambert, R.S.J., see Beddoe-Stephens, B., 858.
- Landing, E., and Barnes, C.R. Conodonts from the Cape Clay Formation (Lower Ordovician), southern Devon Island, Arctic Archipelago, 1609.
- Lapointe, P., see Dankers, P., 1174.
- La Tour, T.E. Metamorphism and geothermometry near Coniston, Ontario: a clue to the tectonic evolution of the Grenville Front, 884.
- Leavitt, R.K., see Gravenor, C.P., 765.
- Leblanc, G. A closer look at the September 16, 1732, Montreal earthquake, 539.
- Legget, R.F. Glacial geology of Grand Manan Island, New Brunswick: Reply, 177.
- Lewis, J.F., and Jessop, A.M. Heat flow in the Garibaldi volcanic belt, a possible Canadian geothermal energy resource area, 366.
- Lewry, J.F. The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan: Discussion, 178.
- Lin, R. Permian fusulinacean zones and their biogeographic provinces in South China, 342.
- Lutes, G., see McCutcheon, S., 910.
- Lyons, J.A., see Mair, J.A., 724.
- Mackay, J.R. Active layer slope movement in a continuous permafrost environment, Garry Island, Northwest Territories, Canada, 1666.
- Mair, J.A., and Lyons, J.A. Crustal structure and velocity anisotropy beneath the Beaufort Sea, 724.
- Marsh, P., and Woo, M.-k. Snowmelt, glacier melt, and high arctic streamflow regimes, 1380.
- Mathews, W.H. Early Cenozoic resetting of potassium-argon dates and geothermal history of north Okanagan area, British Columbia, 1310.
- Mathews, W.H., see Clarke, G.K.C., 1452.
- Mathews, W.H., Berman, R.G., and Harakal, J.E. Mid-Tertiary volcanic rocks of the Cascade Mountains, southwestern British Columbia, ages and correlations, 662.
- McAllister, D.E., Cumbaa, S.L., and Harington, C.R. Pleistocene fishes (*Coregonus*, *Osmerus*, *Microgadus*, *Gasterosteus*) from Green Creek, Ontario, Canada, 1356.
- McAllister, D.E., see Cumbaa, S.L., 1740.
- McCutcheon, S., Lutes, G., Gauthier, G., and Brooks, C. The Pokiok batholith: a contaminated Acadian intrusion with an anomalous Rb/Sr age, 910.
- McCutcheon, S.R. Revised stratigraphy of the Long Reach area, southern New Brunswick: evidence for major, northwestward-directed Acadian thrusting, 646.
- McCutcheon, S.R., see McLeod, M.J., 1012.
- McGregor, J.A., see Helmstaedt, H., 414.
- McKerrow, W.S., and Cocks, L.R.M. Stratigraphy of eastern Bay of Exploits, Newfoundland, 751.
- McLeod, M.J., and McCutcheon, S.R. A newly recognized sequence of possible Early Cambrian age in southern New Brunswick: evidence for major southward-directed thrusting, 1012.
- McMechan, G.A. Modeling of zero-offset reflection profiles with asymptotic ray theory, 551.
- McMurry, E.W., see Reid, A.B., 574.
- McNicoll, R., see Buchbinder, G.G.R., 693.
- McNutt, R.H., see Birk, D., 157.
- Millar, J.F.V., see Skwara-Woolf, T., 852.
- Milner, K.J., see Kerrich, R., 624.
- Morgan, W.R., see Reynolds, P.H., 1850.
- Morlan, R.E., see Cumbaa, S.L., 1740.
- Morris, W.A. A positive fold test from Nipissing diabase, 591.

- Morris, W.A. Fault block rotations in the Southern Province as defined by paleomagnetism of the Nipissing diabase, 1755.
- Mothersill, J.S. Late Quaternary paleomagnetic record of the Goderich Basin, Lake Huron, 448.
- Muecke, G.K., see Reynolds, P.H., 386.
- Nance, D. Tectonic history of a segment of the Pelagonian zone, northeastern Greece, 1111.
- Nelson, K.D. Mélange development in the Boones Point Complex, north-central Newfoundland, 433.
- Nicholls, E.L., and Russell, A.P. A new specimen of *Struthionimus altus* from Alberta, with comments on the classificatory characters of Upper Cretaceous ornithomimids, 518.
- O'Beirne, A.M., see Barr, S.M., 395.
- Odum, A.L., see Dallmeyer, R.D., 699.
- Odum, A.L., see Dallmeyer, R.D., 1431.
- O'Driscoll, C.F., see Dallmeyer, R.D., 699.
- Ongley, E.D., Bynoe, M.C., and Percival, J.B. Physical and geochemical characteristics of suspended solids, Wilton Creek, Ontario, 1365.
- Osborn, G., see Ferguson, A., 1635.
- Pajari, G.E., Jr., see Pickerill, R.K., 55.
- Palmer, H.C., Halls, H.C., and Pesonen, L.J. Remagnetization in Keweenaw rocks. Part I: conglomerates, 599.
- Palmer, H.C., see Halls, H.C., 1395.
- Papezik, V.S., and Barr, S.M. The Shelburne dike, an early Mesozoic diabase dike in Nova Scotia: mineralogy, chemistry, and regional significance, 1346.
- Park, J.K. Paleomagnetism of the Late Proterozoic sills in the Tsezotene Formation, Mackenzie Mountains, Northwest Territories, Canada, 1572.
- Park, J.K. Paleomagnetism of basic intrusions from the Brock Inlier, Northwest Territories, Canada, 1637.
- Parrish, R.R. Geology of the Nemo Lakes belt, northern Valhalla Range, southeast British Columbia, 944.
- Patterson, R.J., see Catto, N.R., 1261.
- Peirce, M.G., see Kerrich, R., 624.
- Percival, J.B., see Ongley, E.D., 1365.
- Perry, D.G., see Henderson, C.M., 457.
- Pesonen, L.J., see Palmer, H.C., 599.
- Pickerill, R.K., Pajari, G.E., Jr., and Currie, K.L. Resedimented volcanoclastics in the Carmanville area, northeastern Newfoundland—depositional remnants of Early Palaeozoic oceanic islands, 55.
- Piper, D.J.W., see Alam, M., 1336.
- Pittion, J.-L., see Héroux, Y., 1856.
- Plet, F.C., see DeLaurier, J.M., 1092.
- Pluysina, L.P., and Ivanov, I.P. Thermodynamic regime of greenstone metamorphism of basic volcanic rocks after experimental data, 1303.
- Poplawski, S., and Karrow, P.F. Ostracodes and paleoenvironments of the late Quaternary Don and Scarborough Formations, Toronto, Ontario, 1497.
- Potts, P.J., see Gale, N.H., 1290.
- Pyököri, M. Ice action on lakeshores near Schefferville, central Quebec - Labrador, Canada, 1629.
- Quinlan, G., and Beaumont, C. A comparison of observed and theoretical postglacial relative sea level in Atlantic Canada, 1146.
- Rajeshwar, K., see Das, M., 742.
- Ranson, W.A. Anorthosites of diverse magma types in the Puttualaak Lake area, Nain complex, Labrador, 26.
- Rao, K.V., Seguin, M.K., and Deutsch, E.R. Paleomagnetism of Siluro-Devonian and Cambrian granitic rocks from the Avalon zone in Cape Breton Island, Nova Scotia, 1187.
- Rao, K.V., see Seguin, M.K., 1776.
- Ray, G.E. The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan: Reply, 1109.
- Read, P.B., and Brown, R.L. Columbia River fault zone: southeastern margin of the Shuswap and Monashee complexes, southern British Columbia, 1127.
- Rees, H.W., see Wang, C., 487.
- Reid, A.B., McMurry, E.W., and Evans, M.E. Paleomagnetism of the Great Slave Supergroup, Northwest Territories, Canada: multicomponent magnetization of the Kahochella Group, 574.
- Reid, A.M., see Gwyn, Q.H.J., 584.
- Reynolds, P.H., Taylor, K.A., and Morgan, W.R. $^{40}\text{Ar}/^{39}\text{Ar}$ ages from the Botwood - Mount Peyton region, Newfoundland: possible paleomagnetic implications, 1850.
- Reynolds, P.H., Zentilli, M., and Muecke, G.K. K-Ar and $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology of granitoid rocks from southern Nova Scotia: Its bearing on the geological evolution of the Meguma Zone of the Appalachians, 386.
- Rivers, T., see Brooks, C., 1211.
- Rogers, G.C. McNaughton Lake seismicity—more evidence for an Anahim hotspot?, 826.
- Ross, G.J., see Wang, C., 487.
- Ross, J.V. A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia, 1581.

- Rouse, G.E., see Champigny, N., 1900.
- Russell, D.H. Fabric and origin of gneissic layers in anorthositic rocks of the St. Charles sill, Ontario, 1681.
- Roy, D.W., see Dimroth, E., 1506.
- Rubin, J., see Clague, D., 469.
- Rucklidge, J.C., see Brooks, C.K., 274.
- Ruelle, J.C., see Aitken, J.D., 410.
- Russell, A.P., see Nicholls, E.L., 518.
- Russell, J.K. Metamorphism of the Thompson nickel belt gneisses: Paint Lake, Manitoba, 191.
- St-Julien, P., see Charbonneau, J.-M., 1051.
- Schwarcz, H.P., see Gascoyne, M., 1643.
- Schwarz, E.J., see Buchan, K.L., 1164.
- Seguin, M.K., Rao, K.V., Venugopal, D.V., and Gahe, E. Paleomagnetism of parts of the Late Triassic diabase dike system associated with the trans-New Brunswick aeromagnetic lineament, 1776.
- Seguin, M.K., see Rao, K.V., 1187.
- Seguin, M.K., Sharma, K.N.M., et Woussen, G. Étude paléomagnétique des roches protérozoïques de la formation de Sakami, région de la Grande Rivière, Territoire du Nouveau-Québec, Canada, 1893.
- Sharma, K.N.M., see Seguin, M.K., 1893.
- Shaw, J., see Gilbert, R., 81.
- Shearer, C.K., see Hurley, P.M., 1248.
- Singh, R.P., and Lal, T. Wave-tilt characteristics of TE-mode waves, 382.
- SkwaraWoelf, T. Biostratigraphy and paleoecology of Pleistocene deposits (Riddell Member, Floral Formation, Late Rancholabrean), Saskatoon, Canada, 311.
- SkwaraWoelf, T., and Millar, J.F.V. Pleistocene muskox (*Ovibos moschatus*) from near Saskatoon, Saskatchewan, 852.
- Smith, T.E., see Turek, A., 323.
- Spooner, E.T.C., see Gale, N.H., 1290.
- Stronach, N.J., see Hall, R.L., 919.
- Strong, P.G., and Walker, R.G. Deposition of the Cambrian continental rise: the St. Roch Formation near St. Jean-Port-Joli, Quebec, 1320.
- Struik, L.C. A re-examination of the type area of the Devono-Mississippian Cariboo Orogeny, central British Columbia, 1767.
- Sugiura, N. A new model for the acquisition of thermoremanence by multidomain magnetite, 789.
- Taylor, K.A., see Reynolds, P.H., 1850.
- Thapar, R., see Das, M., 742.
- Theyer, P., see Brooks, C., 932.
- Thomas, M.D., see Kumarapeli, P.S., 680.
- Thorpe, R.I., Guha, J., and Cimon, J. Evidence from lead isotopes regarding the genesis of ore deposits in the Chibougamau region, Quebec, 708.
- Tipper, H.W. Offset of an upper Pliensbachian geographic zonation in the North American Cordillera by transcurrent movement, 1788.
- Turek, A., Smith, T.E., and Huang, C.H. Rb-Sr whole-rock geochronology of the Gamitagama area, north central Ontario, 323.
- Tyson, H. The structure and relationships of the horned dinosaur *Arrhinoceratops* Parks (Ornithischia: Ceratopsidae), 1241.
- Venugopal, D.V., see Seguin, M.K., 1776.
- Vermeulen, F.E., see Cervenán, M.R., 926.
- Vreeken, W.J. Distribution and chronology of freshwater marls between Kingston and Belleville, Ontario, 1228.
- Walker, R.G., see Hamblin, A.P., 667.
- Walker, R.G., see Strong, P.G., 1320.
- Walker, R.G., see Wright, M.E., 795.
- Wang, C., Ross, G.J., and Rees, H.W. Characteristics of residual and colluvial soils developed on granite and of the associated pre-Wisconsin landforms in north-central New Brunswick, 487.
- Wardle, R.J., see Brooks, C., 1211.
- Watts, D.R. Paleomagnetism of the Fond du Lac Formation and the Eileen and Middle River sections with implications for Keweenaw tectonics and the Grenville problem, 829.
- Wiener, R.W. Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador, 1409.
- Wighton, D.C., see Kevan, D.K.M., 1824.
- Wintle, A.G., see Huntley, D.J., 419.
- Woo, M.-k., see Marsh, P., 1380.
- Woussen, G., see Dimroth, E., 1506.
- Woussen, G., see Seguin, M.K., 1893.
- Wright, M.E., and Walker, R.G. Cardium Formation (U. Cretaceous) at Seebe, Alberta—storm-transported sandstones and conglomerates in shallow marine depositional environments below fair-weather wave base, 795.
- Yole, R.W., and Irving, E. Errata: Displacement of Vancouver Island: paleomagnetic evidence from the Karmutsen Formation, 828.

- Yorath, C.J., and Chase, R.L.** Tectonic history of the Queen Charlotte Islands and adjacent areas—a model, 1717.
York, D., see Berger, G.W., 266.
Zentilli, M., see Reynolds, P.H., 386.

Subject Index / Index des matières¹

absolute age *see also* geochronology; isotopes

absolute age—dates

anorthosite: The Sept Îles anorthosite complex; field relationships, geochronology, and petrology (Higgins, Michael D., *et al*) 3: 561-573

diabase: Paleomagnetism of Lower Cambrian volcanics and a cross-cutting Cambro-Ordovician diabase dyke from Buckingham (Quebec) (Dankers, Peter, *et al*) 7: 1174-1186

gabbros: Geology and geochronology of Helikian magmatism, western Labrador (Brooks, Christopher, *et al*) 7: 1211-1227

galena: Evidence from lead isotopes regarding the genesis of ore deposits in the Chibougamau region, Quebec (Thorpe, R. I., *et al*) 4: 708-723

granites: The Pokiok Batholith; a contaminated Acadian intrusion with an anomalous Rb/Sr age (McCutcheon, S., *et al*) 5: 910-918

hornblende: The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec (Clague, David, *et al*) 3: 469-486

— ⁴⁰Ar/³⁹Ar dating of the Thanet Gabbro, Ontario; looking through the Grenvillian metamorphic veil and implications for paleomagnetism (Berger, Glenn W., *et al*) 2: 266-273

igneous rocks: ⁴⁰Ar/³⁹Ar ages from the Botwood-Mount Peyton region, Newfoundland; possible paleomagnetic implications (Reynolds, P. H., *et al*) 12: 1850-1855

metasedimentary rocks: Geology of the Nemo Lakes Belt, northern Valhalla Range, Southeast British Columbia (Parrish, Randall R.) 5: 944-958

— Rb/Sr geochronology in the Thompson Belt, Manitoba; implications for Aphebian crustal development and metallogenesis (Brooks, C., *et al*) 5: 932-943

mica: K-Ar and ⁴⁰Ar/³⁹Ar geochronology of granitoid rocks from southern Nova Scotia; its bearing on the geological evolution of the Meguma Zone of the Appalachians (Reynolds, P. H., *et al*) 2: 386-394

minerals: Geochronology of the Swift Current Granite and host volcanic rocks of the Love Cove Group, southwestern Avalon Zone, Newfoundland; evidence of a late Proterozoic volcanic-subvolcanic association (Dallmeyer, R. D., *et al*) 4: 699-707

organic materials: Distribution and chronology of freshwater marls between Kingston and Belleville, Ontario (Vreeken, Willem J.) 7: 1228-1239

orthogneiss: Geochronology of orthogneiss adjacent to the Archean Lake of the Woods greenstone belt, northwestern

Ontario; a possible basement complex

(Clark, G. S., *et al*) 1: 94-102

peat: Active layer slope movement in a continuous permafrost environment, Garry Island, Northwest Territories, Canada (Mackay, J. Ross) 11: 1666-1680

plutonic rocks: Geochronology of Wabigoon Belt granitoids, northwestern Ontario; Rb/Sr isochrons for seven late-tectonic plutons (Birk, Dieter, *et al*) 1: 157-175

— Rb-Sr whole-rock geochronology of the Gamitagama area, north central Ontario (Turek, A., *et al*) 2: 323-329

sediments: Late Quaternary sediments and geomorphic history of North-central Vancouver Island (Howes, D. E.) 1: 1-12

— Minimum age of deglaciation of upper Elk Valley, British Columbia (Ferguson, Angus, *et al*) 10: 1635-1636

speleothems: Late Pleistocene chronology and paleoclimate of Vancouver Island determined from cave deposits (Gascoyne, M., *et al*) 11: 1643-1652

trachyandesites: Cambro-Proterozoic volcanism near Buckingham, Quebec (Lafleur, Jean, *et al*) 12: 1817-1823

volcanic rocks: Mid-Tertiary volcanic rocks of the Cascade Mountains, southwestern British Columbia, ages and correlations (Mathews, W. H., *et al*) 3: 662-664

zircon: Age and origin of the Dover Fault; tectonic boundary between the Gander and Avalon zones of the northeastern Newfoundland Appalachians (Dallmeyer, R. D., *et al*) 9: 1431-1442

— Zircon isotopic age from the Union ultramafic complex, Maine (Gaudette, Henri E.) 2: 405-409

absolute age—interpretation

C-14: Late-glacial regional ice-flow patterns in eastern Ontario [discussions and reply] (Hillaire-Marcel, Claude, *et al*) 8: 1385-1393

orogeny: The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario; a proposed type area for the Kenoran Orogeny (Gower, Charles F., *et al*) 6: 1075-1091

overprinting: Early Cenozoic resetting of potassium-argon dates and geothermal history of North Okanagan area, British Columbia (Mathews, William H.) 8: 1310-1319

¹Prepared from the GeoRef data base, at the American Geological Institute, 5205 Leesburg Pike, Falls Church, VA 22041, U.S.A.

absolute age—methods

uranium disequilibrium: The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments

(Huntley, D. J., *et al*) 3: 419-432

aeromagnetic surveys *see* magnetic surveys *under* geophysical surveys *under* Canada; Canadian Shield; Northwest Territories

Africa *see also* Kenya

Alberta—hydrogeology

ground water: Natural temporal variations in the chemistry of shallow groundwater, Athabasca Oil Sands area, Alberta (Hackbarth, Douglas A.) 10: 1599-1608

Alberta—paleontology

Insecta: Paleocene orthopteroids from South-central Alberta, Canada

(Kevan, D. Keith McE., *et al*) 12: 1824-1837

Mammalia: Mammals from the Upper Cretaceous Oldman Formation, Alberta; V. Eodelphis Matthew, and the evolution of the Stagodontidae (Marsupialia)

(Fox, Richard C.) 2: 350-365

Reptilia: A new specimen of *Struthiomimus altus* from Alberta, with comments on the classificatory characters of Upper Cretaceous ornithomimids

(Nicholls, Elizabeth L., *et al*) 3: 518-526

— The structure and relationships of the horned dinosaur *Arrhinoceratops Parks* (Ornithischia; Ceratopsidae) (Tyson, Helen) 8: 1241-1247

Alberta—sedimentary petrology

sedimentation: Sedimentation in proglacial Sunwapta Lake, Alberta

(Gilbert, Robert, *et al*) 1: 81-93

Alberta—stratigraphy

Cretaceous: Cardium Formation (U. Cretaceous) at Seebe, Alberta; storm-transported sandstones and conglomerates in shallow marine depositional environments below fair-weather wave base

(Wright, Marsha E., *et al*) 4: 795-809

Jurassic: First record of late Bajocian (Jurassic) ammonites in the Fernie Formation, Alberta

(Hall, R. L., *et al*) 5: 919-925

— Storm-dominated shallow marine deposits; the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains [discussion and reply]

(Jansa, L. F., *et al*) 3: 665-668

Alberta—structural geology

faults: Offset of an upper Pliensbachian geographic zonation in the North American Cordillera by transcurrent movement

(Tipper, H. W.) 12: 1788-1792

Alberta—tectonophysics

crust: Stress orientations from oil-well fractures in Alberta and Texas

(Gough, D. I., *et al*) 3: 638-645

algae—paleoecology

coelobiontic taxa: The record of cavity-dwelling (coelobiontic) organisms in the Paleozoic

(Kobluk, David R.) 2: 181-190

reefs: Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec

(Kobluk, David R.) 1: 42-54

— Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada

(Kobluk, David R.) 4: 669-679

algae—Phaeophyta

Proterozoic: Carbonaceous megafossils from the Precambrian (1800 Ma) near Jixian, northern China

(Hofmann, H. J., *et al*) 3: 443-447

Amphibia—Labyrinthodontia

morphology: Semicircular canal size in fossil fishes and amphibians

(Bernacke, Garry M., *et al*) 1: 150-156

Appalachians—geochronology

Devonian: K-Ar and ⁴⁰Ar/³⁹Ar geochronology of granitoid rocks from southern Nova Scotia; its bearing on the geological evolution of the Meguma Zone of the Appalachians

(Reynolds, P. H., *et al*) 2: 386-394

Appalachians—structural geology

tectonics: A review of geomagnetic variation measurements in the eastern United States; implications for continental tectonics

(Greenhouse, J. P., *et al*) 8: 1268-1289

— Age and origin of the Dover Fault; tectonic boundary between the Gander and Avalon zones of the northeastern Newfoundland Appalachians

(Dallmeyer, R. D., *et al*) 9: 1431-1442

— Structural analysis, deformation and metamorphism of the Oak Hill Group, Mount Sainte-Marquerite area, Quebec Appalachians

(Charbonneau, J. M., *et al*) 6: 1051-1064

Arabian Peninsula *see also* Oman**Archaeocyatha—paleoecology**

reefs: Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada

(Kobluk, David R.) 4: 669-679

Archean *see also under* geochronology *under* Canadian Shield; Ontario

Arctic Ocean—geophysical surveys

seismic surveys: Crustal structure and velocity anisotropy beneath the Beaufort Sea

(Mair, J. A., *et al*) 4: 724-741

Arctic Ocean—seismology

crust: Crustal structure and velocity anisotropy beneath the Beaufort Sea

(Mair, J. A., *et al*) 4: 724-741

Arctic region *see also* Greenland

Asia *see also* China; Iran; Taiwan

Atlantic Ocean—economic geology

fuel resources: Application of correspondence factor analysis to adsorbed gases, offshore Labrador

(Bertrand, R., *et al*) 3: 509-517

Atlantic Ocean—geophysical surveys

seismic surveys: Crustal structure, seismic stratigraphy, and rift processes of the continental margin off eastern Canada; ocean bottom seismic refraction results off Nova Scotia

(Keen, C. E., *et al*) 10: 1523-1538

Atlantic Ocean—oceanography

sedimentation: Detrital mineralogy and petrology of deep-water continental margin sediments off Newfoundland

(Alam, Mahmood, *et al*) 8: 1336-1345

Atlantic Ocean—seismology

- crust*: Crustal structure, seismic stratigraphy, and rift processes of the continental margin off eastern Canada; ocean bottom seismic refraction results off Nova Scotia (Keen, C. E., *et al.*) 10: 1523-1538

Atlantic Ocean—stratigraphy

- changes of level*: A comparison of observed and theoretical postglacial relative sea level in Atlantic Canada (Quinlan, Garry, *et al.*) 7: 1146-1163

batholiths *see under* intrusions**biogeography—Conodonts**

- Ordovician*: Conodonts from the Cape Clay Formation (Lower Ordovician), southern Devon Island, Arctic Archipelago (Landing, Ed, *et al.*) 10: 1609-1628

biogeography—foraminifera

- Permian*: Permian fusulinacean zones and their biogeographic provinces in South China (Rui Lin) 2: 342-349

boron—abundance

- sediments*: Late Quaternary marine sediments at Chalk River, Ontario (Catto, N. R., *et al.*) 8: 1261-1267

Brachiopoda—Spiriferida

- Silurian*: Atrypoida species from the Canadian Arctic Islands (Jones, Brian) 10: 1539-1561

brachiopods—biostratigraphy

- Ordovician*: A paraloichthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland (Casey, John F., *et al.*) 6: 1035-1050
— Stratigraphy of eastern Bay of Exploits, Newfoundland (McKerrow, W. S., *et al.*) 4: 751-764
— The Ordovician-Silurian boundary at the eastern end of Anticosti Island (Cocks, L. R. M., *et al.*) 6: 1029-1034
Silurian: Atrypoida species from the Canadian Arctic Islands (Jones, Brian) 10: 1539-1561
— Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island (Johnson, Mark E.) 5: 869-883
— The Ordovician-Silurian boundary at the eastern end of Anticosti Island (Cocks, L. R. M., *et al.*) 6: 1029-1034

British Columbia—economic geology

- geothermal energy*: Heat flow in the Garibaldi volcanic belt, a possible Canadian geothermal energy resource area (Lewis, J. F., *et al.*) 2: 366-375

British Columbia—geochemistry

- trace elements*: Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rossland volcanic rocks, southern British Columbia (Beddoe-Stephens, B., *et al.*) 5: 858-868

British Columbia—geochronology

- Cenozoic*: Early Cenozoic resetting of potassium-argon dates and geothermal history of North Okanagan area, British Columbia (Mathews, William H.) 8: 1310-1319

- Miocene*: Mid-Tertiary volcanic rocks of the Cascade Mountains, southwestern British Columbia, ages and correlations (Mathews, W. H., *et al.*) 3: 662-664

- Pleistocene*: Minimum age of deglaciation of upper Elk Valley, British Columbia (Ferguson, Angus, *et al.*) 10: 1635-1636

British Columbia—geophysical surveys

- heat flow*: Heat flow in the Garibaldi volcanic belt, a possible Canadian geothermal energy resource area (Lewis, J. F., *et al.*) 2: 366-375

British Columbia—paleontology

- Bryozoa*: A Lower Jurassic heteropod bryozoan and associated biota, Turnagain Lake, British Columbia (Henderson, C. M., *et al.*) 3: 457-468

- ichnofossils*: The walking speed of dinosaurs from the Peace River canyon, British Columbia, Canada (Kool, Richard) 4: 823

British Columbia—petrology

- igneous rocks*: Petrology and geochemistry of the Kamloops Group volcanics, British Columbia (Ewing, Thomas E.) 9: 1478-1491

- metamorphic rocks*: Geology of the Nemo Lakes Belt, northern Valhalla Range, Southeast British Columbia (Parrish, Randall R.) 5: 944-958

British Columbia—sedimentary petrology

- sedimentation*: Submarine flow tills at Victoria, British Columbia (Hickock, Stephen R., *et al.*) 1: 71-80

British Columbia—seismology

- earthquakes*: McNaughton Lake seismicity; more evidence for an Anahim hotspot? (Rogers, Garry C.) 4: 826-828

- Queen Charlotte fault zone; microearthquakes from a temporary array of land stations and ocean bottom seismographs (Hyndman, R. D., *et al.*) 4: 776-788

- Seismicity in the Mica Reservoir (McNaughton Lake) area; 1973-1978 (Ellis, R. M., *et al.*) 11: 1708-1716

British Columbia—stratigraphy

- Eocene*: Regional stratigraphy and structural setting of the Kamloops Group, South-central British Columbia (Ewing, Thomas E.) 9: 1464-1477

- Miocene*: New evidence for the age of the Skonun Formation, Queen Charlotte Islands, British Columbia (Champigny, N., *et al.*) 12: 1900-1903

- Pleistocene*: Coquitlam drift; a pre-Vashon Fraser glacial formation in the Fraser Lowland, British Columbia (Hickock, Stephen R., *et al.*) 9: 1443-1451

- Late Pleistocene chronology and paleoclimate of Vancouver Island determined from cave deposits (Gascoyne, M., *et al.*) 11: 1643-1652

- Quaternary*: Late Quaternary sediments and geomorphic history of North-central Vancouver Island (Howes, D. E.) 1: 1-12

- Triassic*: Errata; Displacement of Vancouver Island; paleomagnetic evidence from the Karmutsen Formation (Yole, R. W., *et al.*) 4: 828

British Columbia—structural geology

faults: Offset of an upper Plensbachian geographic zonation in the North American Cordillera by transcurrent movement

(Tipper, H. W.) 12: 1788-1792

orogeny: A re-examination of the type area of the Devonian-Mississippian Cariboo Orogeny, central British Columbia (Struik, L. C.) 12: 1767-1775

tectonics: A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia

(Ross, John V.) 10: 1581-1598

— Columbia River fault zone; southeastern margin of the Shuswap and Monashee complexes, southern British Columbia

(Read, Peter B., *et al*) 7: 1127-1145

— Regional stratigraphy and structural setting of the Kamloops Group, South-central British Columbia

(Ewing, Thomas E.) 9: 1464-1477

British Columbia—tectonophysics

heat flow: Early Cenozoic resetting of potassium-argon dates and geothermal history of North Okanagan area, British Columbia

(Mathews, William H.) 8: 1310-1319

plate tectonics: A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia

(Ross, John V.) 10: 1581-1598

— McNaughton Lake seismicity; more evidence for an Anahim hotspot?

(Rogers, Garry C.) 4: 826-828

— Tectonic history of the Queen Charlotte Islands and adjacent areas; a model

(Yorath, C. J., *et al*) 11: 1717-1739

Bryozoa—Cyclotomata

Jurassic: A Lower Jurassic heteropod bryozoan and associated biota, Turnagain Lake, British Columbia

(Henderson, C. M., *et al*) 3: 457-468

Bryozoa—paleoecology

reefs: Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec

(Kobluk, David R.) 1: 42-54

Cambrian *see also under* geochronology *under* Quebec; *see also under* stratigraphy *under* Nevada; New Brunswick; Quebec

Canada *see also* Alberta; Appalachians; British Columbia; Canadian Shield; Great Lakes; Great Lakes region; Labrador; Manitoba; Maritime Provinces; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory

Canada—geophysical surveys

magnetic surveys: Broad-scale magnetic anomalies over central and eastern Canada; a discussion

(Coles, R. L., *et al*) 3: 657-661

Canada—stratigraphy

changes of level: A comparison of observed and theoretical postglacial relative sea level in Atlantic Canada

(Quinlan, Garry, *et al*) 7: 1146-1163

Canada—tectonophysics

plate tectonics: Crustal structure, seismic stratigraphy, and rift processes of the continental margin off eastern Canada; ocean bottom seismic refraction results off Nova Scotia

(Keen, C. E., *et al*) 10: 1523-1538

Canadian Shield—economic geology

gold ores: Evidence from lead isotopes regarding the genesis of ore deposits in the Chibougamau region, Quebec

(Thorpe, R. I., *et al*) 4: 708-723

Canadian Shield—geochemistry

trace elements: Petrochemistry of late Archean (≈ 1.8 Ga) calc-alkaline diorites from the East Arm of Great Slave Lake, N.W.T., Canada

(Badham, J. P. N.) 6: 1018-1028

— The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study

(Kerrick, R., *et al*) 3: 624-637

Canadian Shield—geochronology

Archean: Geochronology of orthogneiss adjacent to the Archean Lake of the Woods greenstone belt, northwestern Ontario; a possible basement complex

(Clark, G. S., *et al*) 1: 94-102

— Rb-Sr whole-rock geochronology of the Gamitagama area, north central Ontario

(Turek, A., *et al*) 2: 323-329

Precambrian: Geochronology of Wabigoon Belt granitoids, northwestern Ontario; Rb/Sr isochrons for seven late-tectonic plutons

(Birk, Dieter, *et al*) 1: 157-175

Proterozoic: Geology and geochronology of Helikian magmatism, western Labrador

(Brooks, Christopher, *et al*) 7: 1211-1227

— Rb/Sr geochronology in the Thompson Belt, Manitoba; implications for Archean crustal development and metallogenesis

(Brooks, C., *et al*) 5: 932-943

— $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Thanet Gabbro, Ontario; looking through the Grenvillian metamorphic veil and implications for paleomagnetism

(Berger, Glenn W., *et al*) 2: 266-273

Canadian Shield—geophysical surveys

magnetic surveys: Broad-scale magnetic anomalies over central and eastern Canada; a discussion

(Coles, R. L., *et al*) 3: 657-661

Canadian Shield—petrology

igneous rocks: The Sept Îles anorthosite complex; field relationships, geochronology, and petrology

(Higgins, Michael D., *et al*) 3: 561-573

metamorphism: Metamorphism and geothermometry near Coniston, Ontario; a clue to the tectonic evolution of the Grenville Front

(La Tour, Timothy E.) 5: 884-898

— Metamorphism of the Thompson nickel belt gneisses; Paint Lake, Manitoba

(Russell, J. K.) 2: 191-209

Canadian Shield—stratigraphy

Proterozoic: Paleomagnetism of basic intrusions from the Brock Inlier, Northwest Territories, Canada

(Park, J. K.) 10: 1637-1641

Canadian Shield—structural geology

orogeny: Geologic history of the Saguenay region, Quebec (Central Granulite Terrain of the Grenville Province); a working hypothesis

(Dimroth, Erich, *et al*) 9: 1506-1522

- tectonics:** A positive fold test from Nipissing Diabase (Morris, W. A.) 3: 591-598
 — Results of a seismic reflection survey across the fault zone between the Thompson nickel belt and the Churchill tectonic province, northern Manitoba (Green, A. G.) 1: 13-25
 — The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario; a proposed type area for the Kenoran Orogeny (Gower, Charles F., *et al.*) 6: 1075-1091
- Canadian Shield—tectonophysics**
crust: The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan [discussion] (Lewry, J. F.) 1: 178-180
paleomagnetism: Paleomagnetism of Lower Cambrian volcanics and a cross-cutting Cambro-Ordovician diabase dyke from Buckingham (Quebec) (Dankers, Peter, *et al.*) 7: 1174-1186
 — Uplift estimated from remanent magnetization; Munro area of Superior Province since 2150 Ma ago (Buchan, Kenneth L., *et al.*) 7: 1164-1173
plate tectonics: Fault block rotations in the Southern Province as defined by paleomagnetism of the Nipissing diabase (Morris, W. A.) 11: 1755-1757
 — The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan [reply] (Ray, G. E.) 6: 1109
- carbon—abundance**
sedimentary rocks: Organic carbon; a potential indicator of paleoenvironment; two examples (Bertrand, R., *et al.*) 12: 1838-1849
sediments: Spatial and temporal variations of cesium-137 and carbon in sediments from the Saguenay Fjord (Barbeau, C., *et al.*) 6: 1004-1011
- carbon— isotopes**
C-13/C-12: The occurrence and origin of methane in some groundwater flow systems (Barker, J. F., *et al.*) 12: 1802-1816
- carbonate rocks** *see under* sedimentary rocks
- Carboniferous** *see also under* geochronology *under* Nova Scotia
- Cenozoic** *see also under* geochronology *under* British Columbia
- cesium— isotopes**
Cs-137: Spatial and temporal variations of cesium-137 and carbon in sediments from the Saguenay Fjord (Barbeau, C., *et al.*) 6: 1004-1011
- changes of level** *see also under* stratigraphy *under* Atlantic Ocean; Canada; Maritime Provinces
- China—paleobotany**
algae: Carbonaceous megafossils from the Precambrian (1800 Ma) near Jixian, northern China (Hofmann, H. J., *et al.*) 3: 443-447
- China—stratigraphy**
Permian: Permian fusulinacean zones and their biogeographic provinces in South China (Rui Lin) 2: 342-349
- clastic rocks** *see under* sedimentary rocks
- clastic sediments** *see under* sediments
- clay mineralogy— areal studies**
Labrador: Thermal evolution and petroleum potential from studies of kerogens, organic extracts, adsorbed gases and clays from the well Karlsefni H-13, offshore Labrador, Canada (Heroux, Y., *et al.*) 12: 1856-1877
Newfoundland: Detrital mineralogy and petrology of deep-water continental margin sediments off Newfoundland (Alam, Mahmood, *et al.*) 8: 1336-1345
- clay mineralogy— experimental studies**
gibbsite: Characteristics of residual and colluvial soils developed on granite and of the associated pre-Wisconsin landforms in North-central New Brunswick (Wang, C., *et al.*) 3: 487-494
- Conodonta— faunal studies**
Ordovician: Conodonts from the Cape Clay Formation (Lower Ordovician), southern Devon Island, Arctic Archipelago (Landing, Ed, *et al.*) 10: 1609-1628
- conodonts— biostratigraphy**
Ordovician: Conodonts from the Cape Clay Formation (Lower Ordovician), southern Devon Island, Arctic Archipelago (Landing, Ed, *et al.*) 10: 1609-1628
 — Melange development in the Boones Point Complex, North-central Newfoundland (Nelson, K. Douglas) 3: 433-442
 — Paleocology of selected conodontophorid species from the Cobbs Arm Formation (Middle Ordovician), New World Island, North-central Newfoundland (Faahraeus, Lars E., *et al.*) 11: 1653-1665
- continental drift** *see also under* tectonophysics *under* North America
- continental shelf** *see also under* oceanography *under* Nova Scotia
- continental slope** *see also under* oceanography *under* Newfoundland
- copper— abundance**
sediments: Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord (Barbeau, C., *et al.*) 6: 1065-1074
- Cretaceous** *see also under* stratigraphy *under* Alberta; Washington
- crust** *see also under* seismology *under* Arctic Ocean; Atlantic Ocean; *see also under* tectonophysics *under* Alberta; Canadian Shield; Eastern U.S.; North America; Quebec; Saskatchewan; Texas; Vermont; Yukon Territory
- crystal chemistry** *see also* minerals
- crystal growth** *see also* minerals
- crystal structure** *see also* minerals
- Cyprus— geochemistry**
isotopes: The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman (Gale, N. H., *et al.*) 8: 1290-1302
- deformation** *see also* geophysics; structural analysis
- deformation— field studies**
finite strain analysis: A comparison of mineral grain fabrics and finite strain in amphibolites from eastern Finland (Gapais, Denis, *et al.*) 6: 995-1003

- petrofabrics:** Fabric and origin of gneissic layers in anorthositic rocks of the St. Charles Sill, Ontario
(Rousell, D. H.) 11: 1681-1693
- shear:** Tectonic significance of the northeastern Gander Zone, Newfoundland; an Acadian ductile shear zone
(Hanmer, Simon) 1: 121-135
- strain:** A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia
(Ross, John V.) 10: 1581-1598
- stress:** Stress orientations from oil-well fractures in Alberta and Texas
(Gough, D. I., *et al.*) 3: 638-645
- Devonian** *see also* under geochronology under Appalachians; Maine; Newfoundland
- diagenesis** *see also* sedimentation
- diagenesis—materials**
organic materials: Application of correspondence factor analysis to adsorbed gases, offshore Labrador
(Bertrand, R., *et al.*) 3: 509-517
- diagenesis—processes**
cementation: Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec
(Lake, John H.) 10: 1562-1571
- diastrophism** *see* orogeny
- dikes** *see* under intrusions
- Earth—magnetic field**
observations: Broad-scale magnetic anomalies over central and eastern Canada; a discussion
(Coles, R. L., *et al.*) 3: 657-661
- variations:* A review of geomagnetic variation measurements in the eastern United States; implications for continental tectonics
(Greenhouse, J. P., *et al.*) 8: 1268-1289
- earthquakes** *see also* seismology; *see also* under seismology under British Columbia; Quebec
- Eastern Hemisphere** *see also* Arctic Ocean; Atlantic Ocean
- Eastern U.S.—tectonophysics**
crust: A review of geomagnetic variation measurements in the eastern United States; implications for continental tectonics
(Greenhouse, J. P., *et al.*) 8: 1268-1289
- elastic waves** *see* under seismology
- energy sources** *see also* uranium
- engineering geology** *see also* deformation; geophysical methods; ground water
- Eocene** *see also* under stratigraphy under British Columbia
- colian features** *see* under geomorphology
- epeirogeny** *see also* orogeny
- Europe** *see also* the individual nations
- faults—displacements**
dip-slip faults: Columbia River fault zone; southeastern margin of the Shuswap and Monashee complexes, southern British Columbia
(Read, Peter B., *et al.*) 7: 1127-1145
- strike-slip faults:* Queen Charlotte fault zone; microearthquakes from a temporary array of land stations and ocean bottom seismographs
(Hyndman, R. D., *et al.*) 4: 776-788
- Regional stratigraphy and structural setting of the Kamloops Group, South-central British Columbia
(Ewing, Thomas E.) 9: 1464-1477
- thrust faults:* A newly recognized sequence of possible Early Cambrian age in southern New Brunswick; evidence for major southward-directed thrusting
(McLeod, M. J., *et al.*) 6: 1012-1017
- A parallochthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland
(Casey, John F., *et al.*) 6: 1035-1050
- Revised stratigraphy of the Long Reach area, southern New Brunswick; evidence for major, northwestward-directed Acadian thrusting
(McCutcheon, S. R.) 3: 646-656
- transcurrent faults:* Offset of an upper Pliensbachian geographic zonation in the North American Cordillera by transcurrent movement
(Tipper, H. W.) 12: 1788-1792
- faults—distribution**
fault zones: Results of a seismic reflection survey across the fault zone between the Thompson nickel belt and the Churchill tectonic province, northern Manitoba
(Green, A. G.) 1: 13-25
- faults—effects**
mylonites: Age and origin of the Dover Fault; tectonic boundary between the Gander and Avalon zones of the northeastern Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 9: 1431-1442
- shear zones:* Tectonic significance of the northeastern Gander Zone, Newfoundland; an Acadian ductile shear zone
(Hanmer, Simon) 1: 121-135
- faults—systems**
block structures: Fault block rotations in the Southern Province as defined by paleomagnetism of the Nipissing diabase
(Morris, W. A.) 11: 1755-1757
- Faulting and fracturing in part of the Duluth Complex, northeastern Minnesota
(Foote, Michael P., *et al.*) 4: 810-814
- Finland—structural geology**
deformation: A comparison of mineral grain fabrics and finite strain in amphibolites from eastern Finland
(Gapais, Denis, *et al.*) 6: 995-1003
- folds—orientation**
superposed folds: A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia
(Ross, John V.) 10: 1581-1598
- Structural analysis, deformation and metamorphism of the Oak Hill Group, Mount Sainte-Marquerite area, Quebec Appalachians
(Charbonneau, J. M., *et al.*) 6: 1051-1064
- folds—style**
disharmonic folds: Copper mineralization near an intra-Rapitan unconformity, Nite copper prospect, Mackenzie Mountains, Northwest Territories, Canada [discussion and reply]
(Aitken, J. D., *et al.*) 2: 410-418
- synform folds:* The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario; a proposed type area for the Kenoran Orogeny
(Gower, Charles F., *et al.*) 6: 1075-1091
- foliation** *see also* structural analysis

foraminifera—Fusulinidae

- Permian*: Permian fusulinacean zones and their biogeographic provinces in South China
(Rui Lin) 2: 342-349

foraminifers—biostratigraphy

- Jurassic*: A Lower Jurassic heteropod bryozoan and associated biota, Turnagain Lake, British Columbia
(Henderson, C. M., *et al.*) 3: 457-468
- Permian*: Permian fusulinacean zones and their biogeographic provinces in South China
(Rui Lin) 2: 342-349

- Quaternary*: Late Quaternary marine sediments at Chalk River, Ontario
(Catto, N. R., *et al.*) 8: 1261-1267

- Tertiary*: Thermal evolution and petroleum potential from studies of kerogens, organic extracts, adsorbed gases and clays from the well Karlsefni H-13, offshore Labrador, Canada
(Heroux, Y., *et al.*) 12: 1856-1877

Formosa see Taiwan**fossils see appropriate fossil group****fossils, problematic see problematic fossils****frost action see under geomorphology; permafrost****garnet see under abundance under rare earths****genesis of ore deposits see mineral deposits, genesis****geochemistry—experimental studies**

- trace elements*: Chemical and X-ray diffraction analyses in tills of southern Ontario
(Gwyn, Q. H. J., *et al.*) 3: 584-590

geochemistry—surveys

- Ontario*: The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study
(Kerrich, R., *et al.*) 3: 624-637

geochronology see also absolute age**geochronology—paleomagnetism**

- magnetostatigraphy*: Late Quaternary paleomagnetic record of the Goderich Basin, Lake Huron
(Mothersill, John S.) 3: 448-456

geologic hazards see also under engineering geology under Quebec; Saskatchewan; see also under environmental geology under Yukon Territory**geomorphology see also glacial geology****geomorphology—eolian features**

- dune ridges*: Stabilized dune ridges in northern Saskatchewan
(David, Peter P.) 2: 286-310

geomorphology—fluvial features

- lakes*: On lake bottom dynamics; the energy-topography factor
(Haakanson, Lars) 5: 899-909

geomorphology—frost action

- ice push*: Ice action on lakeshores near Schefferville, central Quebec-Labrador, Canada
(Pyokari, Mauri) 10: 1629-1634

- permafrost*: Active layer slope movement in a continuous permafrost environment, Garry Island, Northwest Territories, Canada
(Mackay, J. Ross) 11: 1666-1680

- seasonal variations*: Thawing of seasonally frozen ground in organic terrain in central Saskatchewan
(FritzGibbon, J. E.) 9: 1492-1496

geomorphology—landform description

- tors*: Characteristics of residual and colluvial soils developed on granite and of the associated pre-Wisconsin landforms in North-central New Brunswick
(Wang, C., *et al.*) 3: 487-494

geomorphology—mass movements

- landslides*: Landslides at the south end of Kluane Lake, Yukon Territory
(Clague, John J.) 5: 959-971

geophysical methods—electromagnetic methods

- interpretation*: Wave-tilt characteristics of TE-mode waves
(Singh, Ramesh P., *et al.*) 2: 382-385

geophysical methods—radioactivity methods

- gamma-ray methods*: Utilizing multi-channel airborne gamma-ray spectra
(Dickson, B. H., *et al.*) 12: 1793-1801

geophysical methods—seismic methods

- interpretation*: Modeling of zero-offset reflection profiles with asymptotic ray theory
(McMechan, George A.) 3: 551-560

geophysical surveys see magnetic surveys under geophysical surveys under Canada; Canadian Shield; Northwest Territories; see seismic surveys under geophysical surveys under Arctic Ocean; Atlantic Ocean; Manitoba; see also geophysical methods**geophysics see also deformation****geophysics—experimental studies**

- oil sands*: Thermophysical characterization of oil sands; 3, Electrical properties
(Das, M., *et al.*) 4: 742-750

geosynclines see also orogeny**geosynclines—processes**

- Labrador Geosyncline*: Post-tectonic igneous rocks; North-central Labrador Geosyncline
(Dressler, B.) 11: 1758-1762

geothermal energy see also under economic geology under British Columbia**glacial geology see also geomorphology****glacial geology—glacial features**

- glacial lakes*: Estimates of the magnitude of glacier outburst floods from Lake Donjek, Yukon Territory, Canada
(Clarke, G. K. C., *et al.*) 9: 1452-1463

- landform description*: Glacial geology of Grand Manan Island, New Brunswick [discussion and reply]
(Gadd, Nelson R., *et al.*) 1: 176-177

- proglacial lakes*: Sedimentation in proglacial Sunwapta Lake, Alberta
(Gilbert, Robert, *et al.*) 1: 81-93

glacial geology—glaciation

- deglaciation*: A comparison of observed and theoretical post-glacial relative sea level in Atlantic Canada
(Quinlan, Garry, *et al.*) 7: 1146-1163

- Late-glacial regional ice-flow patterns in eastern Ontario [discussions and reply]
(Hillaire-Marcel, Claude, *et al.*) 8: 1385-1393

- Minimum age of deglaciation of upper Elk Valley, British Columbia
(Ferguson, Angus, *et al.*) 10: 1635-1636

- deposition*: Coquitlam drift; a pre-Vashon Fraser glacial formation in the Fraser Lowland, British Columbia
(Hicock, Stephen R., *et al.*) 9: 1443-1451

- Late Quaternary sediments and geomorphic history of North-central Vancouver Island (Howes, D. E.) 1: 1-12
- glacial geology—glaciers**
 - hydrology*: Snowmelt, glacier melt, and High Arctic stream-flow regimes (Marsh, Philip, *et al.*) 8: 1380-1384
 - rock glaciers*: Distribution of active glaciers and rock glaciers compared to the distribution of permafrost landforms, based on freezing and thawing indices (Harris, Stuart A.) 2: 376-381
 - The structure of a talus-derived rock glacier deduced from its hydrology (Johnson, P. G.) 9: 1422-1430
- glaciation** *see under* glacial geology
- glaciers** *see under* glacial geology
- gold—abundance**
 - metasedimentary rocks*: The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study (Kerrich, R., *et al.*) 3: 624-637
- graded bedding** *see under* turbidity current structures *undersedimentary structures*
- Great Lakes—geochronology**
 - Holocene*: Late Quaternary paleomagnetic record of the Goderich Basin, Lake Huron (Mothersill, John S.) 3: 448-456
- Great Lakes region—stratigraphy**
 - Proterozoic*: Remagnetization in Keweenaw rocks; Part I, Conglomerates (Palmer, H. C., *et al.*) 3: 599-618
 - Silurian*: Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island (Johnson, Markes E.) 5: 869-883
- Great Lakes region—tectonophysics**
 - plate tectonics*: Paleomagnetism of the Fond du Lac Formation and the Eileen and Middle River sections with implications for Keweenaw tectonics and the Grenville problem (Watts, Doyle R.) 5: 829-841
- Greece—structural geology**
 - tectonics*: Tectonic history of a segment of the Pelagonian Zone, northeastern Greece (Nance, Damian) 7: 1111-1126
- Greenland—petrology**
 - intrusions*: The Batbjerg Complex, East Greenland; a unique ultrapotassic Caledonian intrusion (Brooks, C. K., *et al.*) 2: 274-285
- ground water** *see also* hydrology
- ground water—geochemistry**
 - methane*: The occurrence and origin of methane in some groundwater flow systems (Barker, J. F., *et al.*) 12: 1802-1816
- ground water—surveys**
 - Alberta*: Natural temporal variations in the chemistry of shallow groundwater, Athabasca Oil Sands area, Alberta (Hackbarth, Douglas A.) 10: 1599-1608
- heat flow** *see also under* geophysical surveys *under* British Columbia; *see also under* tectonophysics *under* British Columbia
- Holocene** *see also under* geochronology *under* Great Lakes; Ontario
- hydrocarbons** *see under* organic materials
- hydrogeology** *see also* ground water; hydrology
- hydrology** *see also* ground water
- hydrology—surveys**
 - Alberta*: Sedimentation in proglacial Sunwapta Lake, Alberta (Gilbert, Robert, *et al.*) 1: 81-93
 - Northwest Territories*: Snowmelt, glacier melt, and High Arctic streamflow regimes (Marsh, Philip, *et al.*) 8: 1380-1384
 - pollution*: Physical and geochemical characteristics of suspended soils, Wilton Creek, Ontario (Ongley, E. D., *et al.*) 8: 1365-1379
 - Saguenay River*: Spatial and temporal variations of cesium-137 and carbon in sediments from the Saguenay Fjord (Barbeau, C., *et al.*) 6: 1004-1011
 - Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord (Barbeau, C., *et al.*) 6: 1065-1074
 - Yukon Territory*: Estimates of the magnitude of glacier outburst floods from Lake Donjek, Yukon Territory, Canada (Clarke, G. K. C., *et al.*) 9: 1452-1463
 - The structure of a talus-derived rock glacier deduced from its hydrology (Johnson, P. G.) 9: 1422-1430
- hydrothermal alteration** *see under* processes *under* metasomatism
- ichnofossils—morphology**
 - locomotion*: The walking speed of dinosaurs from the Peace River canyon, British Columbia, Canada (Kool, Richard) 4: 823
- igneous rocks** *see also* magmas; metamorphic rocks; metasomatism; phase equilibria
- igneous rocks—age**
 - absolute age*: $^{40}\text{Ar}/^{39}\text{Ar}$ ages from the Botwood-Mount Peyton region, Newfoundland; possible paleomagnetic implications (Reynolds, P. H., *et al.*) 12: 1850-1855
- igneous rocks—composition**
 - chemical composition*: Post-tectonic igneous rocks; North-central Labrador Geosyncline (Dressler, B.) 11: 1758-1762
- igneous rocks—diabase**
 - dikes*: The Shelburne Dike, an early Mesozoic diabase dike in Nova Scotia; mineralogy, chemistry, and regional significance (Papezik, V. S., *et al.*) 8: 1346-1355
- igneous rocks—diorites**
 - composition*: Petrochemistry of late Archean (~ 1.8 Ga) calc-alkaline diorites from the East Arm of Great Slave Lake, N.W.T., Canada (Badham, J. P. N.) 6: 1018-1028
- igneous rocks—gabbros**
 - anorthosite*: Anorthosites of diverse magma types in the Puttualaak Lake area, Nain Complex, Labrador (Ranson, W. A.) 1: 26-41
 - The Sept Iles anorthosite complex; field relationships, geochronology, and petrology (Higgins, Michael D., *et al.*) 3: 561-573
 - gabbroic anorthosite*: Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador (Wiener, Richard W.) 9: 1409-1421

- genesis:** Geology and geochronology of Helikian magmatism, western Labrador
(Brooks, Christopher, *et al.*) 7: 1211-1227
- igneous rocks—plutonic rocks**
petrology: Petrology of the Gillis Mountain Pluton, Cape Breton Island, Nova Scotia
(Barr, S. M., *et al.*) 2: 395-404
- igneous rocks—properties**
magnetic properties: Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England
(Hurley, P. M., *et al.*) 8: 1248-1260
— Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England
(Hurley, P. M., *et al.*) 8: 1248-1260
- igneous rocks—trachyandesites**
petrology: Cambro-Proterozoic volcanism near Buckingham, Quebec
(Lafleur, Jean, *et al.*) 12: 1817-1823
- igneous rocks—ultramafics**
ophiolite: Polygenetic ophiolitic conglomerates; ancient ocean-bottom talus slopes?
(Hebert, Rejean) 3: 619-623
— Resedimented volcanoclastics in the Carmanville area, northeastern Newfoundland; depositional remnants of early Palaeozoic oceanic islands
(Pickerill, R. K., *et al.*) 1: 55-70
— The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec
(Clague, David, *et al.*) 3: 469-486
— The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman
(Gale, N. H., *et al.*) 8: 1290-1302
pyroxenite: The Batbjerg Complex, East Greenland; a unique ultrapotassic Caledonian intrusion
(Brooks, C. K., *et al.*) 2: 274-285
- igneous rocks—volcanic rocks**
alteration: Thermodynamic regime of greenstone metamorphism of basic volcanic rocks after experimental data
(Pluysina, L. P., *et al.*) 8: 1303-1309
calc-alkalic composition: Mid-Tertiary volcanic rocks of the Cascade Mountains, southwestern British Columbia, ages and correlations
(Mathews, W. H., *et al.*) 3: 662-664
petrology: Petrology and geochemistry of the Kamloops Group volcanics, British Columbia
(Ewing, Thomas E.) 9: 1478-1491
- incertae sedis** see problematic fossils
- Insecta—Orthopteroida**
Paleocene: Paleocene orthopteroids from South-central Alberta, Canada
(Kevan, D. Keith McE., *et al.*) 12: 1824-1837
- intrusions—age**
absolute age: K-Ar and $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology of granitoid rocks from southern Nova Scotia; its bearing on the geological evolution of the Meguma Zone of the Appalachians
(Reynolds, P. H., *et al.*) 2: 386-394
- intrusions—batholiths**
age: The Pokiok Batholith; a contaminated Acadian intrusion with an anomalous Rb/Sr age
(McCutcheon, S., *et al.*) 5: 910-918
- intrusions—composition**
potassic composition: The Batbjerg Complex, East Greenland; a unique ultrapotassic Caledonian intrusion
(Brooks, C. K., *et al.*) 2: 274-285
- intrusions—dikes**
composition: The Shelburne Dike, an early Mesozoic diabase dike in Nova Scotia; mineralogy, chemistry, and regional significance
(Papezik, V. S., *et al.*) 8: 1346-1355
diabase: Paleomagnetism of parts of the Late Triassic diabase dike system associated with the trans-New Brunswick aeromagnetic lineament
(Seguin, M. K., *et al.*) 12: 1776-1787
- intrusions—laccoliths**
emplacement: Petrochemistry of late Aphebian (≈ 1.8 Ga) calc-alkaline diorites from the East Arm of Great Slave Lake, N.W.T., Canada
(Badham, J. P. N.) 6: 1018-1028
- intrusions—layered intrusions**
petrology: Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador
(Wiener, Richard W.) 9: 1409-1421
- intrusions—plutons**
age: Geochronology of Wabigoon Belt granitoids, northwestern Ontario; Rb/Sr isochrons for seven late-tectonic plutons
(Birk, Dieter, *et al.*) 1: 157-175
petrology: Petrology of the Gillis Mountain Pluton, Cape Breton Island, Nova Scotia
(Barr, S. M., *et al.*) 2: 395-404
- intrusions—sills**
emplacement: Paleomagnetism of basic intrusions from the Brock Inlier, Northwest Territories, Canada
(Park, J. K.) 10: 1637-1641
structural analysis: Fabric and origin of gneissic layers in anorthositic rocks of the St. Charles Sill, Ontario
(Rousell, D. H.) 11: 1681-1693
- Invertebrata** see also Archaeocyatha; Brachiopoda; Bryozoa; foraminifera; Ichnofossils; Insecta; Ostracoda; Porifera; problematic fossils
- Invertebrata—paleoecology**
coelobiontic taxa: The record of cavity-dwelling (coelobiontic) organisms in the Paleozoic
(Kobluk, David R.) 2: 181-190
- Iran—stratigraphy**
Phanerozoic: Towards a paleogeography and tectonic evolution of Iran
(Berberian, Manuel, *et al.*) 2: 210-265
- Iran—structural geology**
tectonics: Towards a paleogeography and tectonic evolution of Iran
(Berberian, Manuel, *et al.*) 2: 210-265
- Iran—tectonophysics**
plate tectonics: Towards a paleogeography and tectonic evolution of Iran [discussion and reply]
(Haynes, S. J., *et al.*) 11: 1763-1764
- isotope dating** see absolute age
- isotopes** see also absolute age; geochronology

isotopes—carbon

- C-13/C-12*: The occurrence and origin of methane in some groundwater flow systems
(Barker, J. F., *et al.*) 12: 1802-1816

isotopes—cesium

- Cs-137*: Spatial and temporal variations of cesium-137 and carbon in sediments from the Saguenay Fjord
(Barbeau, C., *et al.*) 6: 1004-1011

isotopes—metamorphic rocks

- metavolcanic rocks*: Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rossland volcanic rocks, southern British Columbia
(Beddoe-Stephens, B., *et al.*) 5: 858-868

isotopes—oxygen

- O-18/O-16*: Late Pleistocene chronology and paleoclimate of Vancouver Island determined from cave deposits
(Gascoyne, M., *et al.*) 11: 1643-1652
— Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England
(Hurley, P. M., *et al.*) 8: 1248-1260
— The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study
(Kerrick, R., *et al.*) 3: 624-637

isotopes—ratios

- lead*: The lead and strontium isotope geochemistry of metaliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman
(Gale, N. H., *et al.*) 8: 1290-1302

isotopes—sediments

- marine sediments*: The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments
(Huntley, D. J., *et al.*) 3: 419-432

isotopes—strontium

- Sr-87/Sr-86*: Geology and geochronology of Helikian magmatism, western Labrador
(Brooks, Christopher, *et al.*) 7: 1211-1227
— Petrology and geochemistry of the Kamloops Group volcanics, British Columbia
(Ewing, Thomas E.) 9: 1478-1491
— Rb/Sr geochronology in the Thompson Belt, Manitoba; implications for Aphebian crustal development and metallogenesis
(Brooks, C., *et al.*) 5: 932-943
— The Pokiok Batholith; a contaminated Acadian intrusion with an anomalous Rb/Sr age
(McCutcheon, S., *et al.*) 5: 910-918

Jurassic *see also under stratigraphy under Alberta*; New Brunswick; Rocky Mountains; Washington

Kenya—paleontology

- Mammalia*: Zebras (genus *Equus*) from nine Quaternary sites in Kenya, East Africa
(Churcher, C. S.) 2: 330-341

Labrador—economic geology

- fuel resources*: Application of correspondence factor analysis to adsorbed gases, offshore Labrador
(Bertrand, R., *et al.*) 3: 509-517
petroleum: Thermal evolution and petroleum potential from studies of kerogens, organic extracts, adsorbed gases and clays from the well Karlsefni H-13, offshore Labrador, Canada
(Heroux, Y., *et al.*) 12: 1856-1877

Labrador—geochronology

- Proterozoic*: Geology and geochronology of Helikian magmatism, western Labrador
(Brooks, Christopher, *et al.*) 7: 1211-1227

Labrador—geomorphology

- frost action*: Ice action on lakeshores near Schefferville, central Quebec-Labrador, Canada
(Pyokari, Mauri) 10: 1629-1634

Labrador—paleontology

- Porifera*: Lower Cambrian cavity-dwelling endolithic (boring) sponges
(Kobluk, David R.) 5: 972-980

Labrador—petrology

- igneous rocks*: Anorthosites of diverse magma types in the Puttuala Lake area, Nain Complex, Labrador
(Ranson, W. A.) 1: 26-41

Labrador—stratigraphy

- Tertiary*: Organic carbon; a potential indicator of paleoenvironment; two examples
(Bertrand, R., *et al.*) 12: 1838-1849

Labrador—structural geology

- tectonics*: Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador
(Wiener, Richard W.) 9: 1409-1421

laccoliths *see under intrusions*

landform description *see under geomorphology*

landslides *see under mass movements under geomorphology*

lava *see also igneous rocks*; *magma*s

lava—properties

- magnetic properties*: Remagnetization in Keweenawan rocks; Part II, Lava flows within the Copper Harbor Conglomerate, Michigan
(Halls, H. C., *et al.*) 9: 1395-1408

lead—abundance

- sediments*: Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord
(Barbeau, C., *et al.*) 6: 1065-1074

lead— isotopes

- ratios*: The lead and strontium isotope geochemistry of metaliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman
(Gale, N. H., *et al.*) 8: 1290-1302

lineation *see also structural analysis*

magmas *see also igneous rocks*; *intrusions*; *lava*

magmas—classification

- anorthosite*: Anorthosites of diverse magma types in the Puttuala Lake area, Nain Complex, Labrador
(Ranson, W. A.) 1: 26-41

magmas—differentiation

- fractional crystallization*: Petrology and geochemistry of the Kamloops Group volcanics, British Columbia
(Ewing, Thomas E.) 9: 1478-1491
— Petrology of the Gillis Mountain Pluton, Cape Breton Island, Nova Scotia
(Barr, S. M., *et al.*) 2: 395-404
segregation: The Sept Iles anorthosite complex; field relationships, geochronology, and petrology
(Higgins, Michael D., *et al.*) 3: 561-573

magmas—evolution

- composition:* Geology and geochronology of Helikian magmatism, western Labrador
(Brooks, Christopher, *et al.*) 7: 1211-1227

magnetic field *see under* Earth**magnetic surveys** *see under* geophysical surveys *under* Canada; Canadian Shield; Northwest Territories**Maine—geochronology**

- Devonian:* Zircon isotopic age from the Union ultramafic complex, Maine
(Gaudette, Henri E.) 2: 405-409

Mammalia—Hippomorpha

- Quaternary:* Zebras (genus *Equus*) from nine Quaternary sites in Kenya, East Africa
(Churcher, C. S.) 2: 330-341

Mammalia—Marsupialia

- Cretaceous:* Mammals from the Upper Cretaceous Oldman Formation, Alberta; V, Eodelphis Matthew, and the evolution of the Stagodontidae (Marsupialia)
(Fox, Richard C.) 2: 350-365

Mammalia—Ruminantia

- Pleistocene:* Pleistocene muskox (*Ovibos moschatus*) from near Saskatoon, Saskatchewan
(Skwara Woolf, T., *et al.*) 5: 852-857

mammals—biostratigraphy

- Pleistocene:* Biostratigraphy and paleoecology of Pleistocene deposits (Riddell Member, Floral Formation, late Rancholabrean), Saskatoon, Canada
(Skwara Woolf, T.) 2: 311-322

Manitoba—geochronology

- Proterozoic:* Rb/Sr geochronology in the Thompson Belt, Manitoba; implications for Archean crustal development and metallogenesis
(Brooks, C., *et al.*) 5: 932-943

Manitoba—geophysical surveys

- seismic surveys:* Results of a seismic reflection survey across the fault zone between the Thompson nickel belt and the Churchill tectonic province, northern Manitoba
(Green, A. G.) 1: 13-25

Manitoba—petrology

- metamorphism:* Metamorphism of the Thompson nickel belt gneisses; Paint Lake, Manitoba
(Russell, J. K.) 2: 191-209

Maritime Provinces—stratigraphy

- changes of level:* A comparison of observed and theoretical postglacial relative sea level in Atlantic Canada
(Quinlan, Garry, *et al.*) 7: 1146-1163
Paleozoic: Revised stratigraphy of the Long Reach area, southern New Brunswick; evidence for major, northwestward-directed Acadian thrusting
(McCutcheon, S. R.) 3: 646-656

mass movements *see under* geomorphology**Massachusetts—tectonophysics**

- paleomagnetism:* Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England
(Hurley, P. M., *et al.*) 8: 1248-1260

Mediterranean region—tectonophysics

- plate tectonics:* Tectonic history of a segment of the Pelagonian Zone, northeastern Greece
(Nance, Damian) 7: 1111-1126

melange *see under* interpretation *under* structural analysis**mercury—abundance**

- sediments:* Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord
(Barbeau, C., *et al.*) 6: 1065-1074

metals *see also* gold; lead; mercury; thorium; uranium; zinc**metals—abundance**

- sediments:* Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord
(Barbeau, C., *et al.*) 6: 1065-1074

metamorphic rocks *see also* igneous rocks; metamorphism; metasomatism**metamorphic rocks—amphibolites**

- garnet amphibolite:* The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec
(Clague, David, *et al.*) 3: 469-486

- petrology:* Amphibolite associated with the Thetford Mines ophiolite complex at Belmina Ridge, Quebec
(Feininger, Tomas) 12: 1878-1892

- textures:* A comparison of mineral grain fabrics and finite strain in amphibolites from eastern Finland
(Gapais, Denis, *et al.*) 6: 995-1003

metamorphic rocks—gneisses

- mineral assemblages:* Metamorphism of the Thompson nickel belt gneisses; Paint Lake, Manitoba
(Russell, J. K.) 2: 191-209

- Petrology of the Fort Smith-Great Slave Lake radiometric high near Pilot Lake, N.W.T.
(Burwash, R. A., *et al.*) 5: 842-851

- orthogneiss:* Geochronology of orthogneiss adjacent to the Archean Lake of the Woods greenstone belt, northwestern Ontario; a possible basement complex
(Clark, G. S., *et al.*) 1: 94-102

- textures:* Geologic history of the Saguenay region, Quebec (Central Granulite Terrain of the Grenville Province); a working hypothesis
(Dimroth, Erich, *et al.*) 9: 1506-1522

- The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario; a proposed type area for the Kenoran Orogeny
(Gower, Charles F., *et al.*) 6: 1075-1091

metamorphic rocks—metagneous rocks

- metabasite:* Thermodynamic regime of greenstone metamorphism of basic volcanic rocks after experimental data
(Pluysina, L. P., *et al.*) 8: 1303-1309

- metagabbro:* Geology and geochronology of Helikian magmatism, western Labrador
(Brooks, Christopher, *et al.*) 7: 1211-1227

- Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador
(Wiener, Richard W.) 9: 1409-1421

- ophiolite:* Tectonic history of a segment of the Pelagonian Zone, northeastern Greece
(Nance, Damian) 7: 1111-1126

metamorphic rocks—metasedimentary rocks

- geochemistry:* The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study
(Kerrich, R., *et al.*) 3: 624-637

- metapelite:** Metamorphism and geothermometry near Coniston, Ontario; a clue to the tectonic evolution of the Grenville Front
(La Tour, Timothy E.) 5: 884-898
- petrology:** Geology of the Nemo Lakes Belt, northern Valhalla Range, Southeast British Columbia
(Parrish, Randall R.) 5: 944-958
- metamorphic rocks—metavolcanic rocks**
- geochemistry:** Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rosslund volcanic rocks, southern British Columbia
(Beddoe-Stephens, B., *et al.*) 5: 858-868
- magnetic properties:** Gravity and magnetic anomalies of the Sutton Mountains region, Quebec and Vermont; expressions of rift volcanics related to the opening of Iapetus
(Kumarapeli, P. S., *et al.*) 4: 680-692
- metamorphic rocks—mylonites**
- textures:** Columbia River fault zone; southeastern margin of the Shuswap and Monashee complexes, southern British Columbia
(Read, Peter B., *et al.*) 7: 1127-1145
- metamorphic rocks—textures**
- fabric:** A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia
(Ross, John V.) 10: 1581-1598
- Structural analysis, deformation and metamorphism of the Oak Hill Group, Mount Sainte-Marquerite area, Quebec Appalachians
(Charbonneau, J. M., *et al.*) 6: 1051-1064
- metamorphism—grade**
- high-grade metamorphism:** Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador
(Wiener, Richard W.) 9: 1409-1421
- low-grade metamorphism:** Thermodynamic regime of greenstone metamorphism of basic volcanic rocks after experimental data
(Pluysnina, L. P., *et al.*) 8: 1303-1309
- metamorphism—P-T conditions**
- mineral assemblages:** Amphibolite associated with the Thetford Mines ophiolite complex at Belmina Ridge, Quebec
(Feininger, Tomas) 12: 1878-1892
- Geology of the Nemo Lakes Belt, northern Valhalla Range, Southeast British Columbia
(Parrish, Randall R.) 5: 944-958
- The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec
(Clague, David, *et al.*) 3: 469-486
- metamorphism—polymetamorphism**
- mineral assemblages:** Petrology of the Fort Smith-Great Slave Lake radiometric high near Pilot Lake, N.W.T.
(Burwash, R. A., *et al.*) 5: 842-851
- metamorphism—regional metamorphism**
- age:** Geochronology of the Swift Current Granite and host volcanic rocks of the Love Cove Group, southwestern Avalon Zone, Newfoundland; evidence of a late Proterozoic volcanic-subvolcanic association
(Dallmeyer, R. D., *et al.*) 4: 699-707
- evolution:** Structural analysis, deformation and metamorphism of the Oak Hill Group, Mount Sainte-Marquerite area, Quebec Appalachians
(Charbonneau, J. M., *et al.*) 6: 1051-1064
- metamorphism—retrograde metamorphism**
- P-T conditions:** Metamorphism of the Thompson nickel belt gneisses; Paint Lake, Manitoba
(Russell, J. K.) 2: 191-209
- metamorphism—temperature**
- geologic thermometry:** Metamorphism and geothermometry near Coniston, Ontario; a clue to the tectonic evolution of the Grenville Front
(La Tour, Timothy E.) 5: 884-898
- metasomatism—materials**
- igneous rocks:** Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England
(Hurley, P. M., *et al.*) 8: 1248-1260
- metasomatism—processes**
- hydrothermal alteration:** The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study
(Kerrick, R., *et al.*) 3: 624-637
- Michigan—stratigraphy**
- Proterozoic:** Remagnetization in Keweenaw rocks; Part I, Conglomerates
(Palmer, H. C., *et al.*) 3: 599-618
- Remagnetization in Keweenaw rocks; Part II, Lava flows within the Copper Harbor Conglomerate, Michigan
(Halls, H. C., *et al.*) 9: 1395-1408
- Silurian:** Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island
(Johnson, Mark E.) 5: 869-883
- Middle East** *see also* Cyprus; Syria
- mineral deposits, genesis—controls**
- structural controls:** Faulting and fracturing in part of the Duluth Complex, northeastern Minnesota
(Foote, Michael P., *et al.*) 4: 810-814
- mineral deposits, genesis—nickel ores**
- age:** Rb/Sr geochronology in the Thompson Belt, Manitoba; implications for Aphebian crustal development and metallogenesis
(Brooks, C., *et al.*) 5: 932-943
- mineral deposits, genesis—polymetallic ores**
- age:** Evidence from lead isotopes regarding the genesis of ore deposits in the Chibougamau region, Quebec
(Thorpe, R. I., *et al.*) 4: 708-723
- minerals—orthosilicates, garnet group**
- experimental studies:** Experimental formation and significance of etch patterns on detrital garnets
(Gravenor, C. P., *et al.*) 4: 765-775
- optical properties:** Chemical and X-ray diffraction analyses in tills of southern Ontario
(Gwyn, Q. H. J., *et al.*) 2: 594-590
- minerals—oxides**
- gibbsite:** Characteristics of residual and colluvial soils developed on granite and of the associated pre-Wisconsinan landforms in North-central New Brunswick
(Wang, C., *et al.*) 3: 487-494
- magnetite:** A new model for the acquisition of thermoremanence by multidomain magnetite
(Sugiura, Naoki) 4: 789-794

Minnesota—stratigraphy

- Proterozoic*: Paleomagnetism of the Fond du Lac Formation and the Eileen and Middle River sections with implications for Keweenaw tectonics and the Grenville problem (Watts, Doyle R.) 5: 829-841

Minnesota—structural geology

- structural analysis*: Faulting and fracturing in part of the Duluth Complex, northeastern Minnesota (Foote, Michael P., *et al.*) 4: 810-814

Miocene *see also under* geochronology *under* British Columbia; *see also under* stratigraphy *under* British Columbia

mollusks—biostratigraphy

- Jurassic*: A Lower Jurassic heteropod bryozoan and associated biota, Turnagain Lake, British Columbia (Henderson, C. M., *et al.*) 3: 457-468
— First record of late Bajocian (Jurassic) ammonites in the Fernie Formation, Alberta (Hall, R. L., *et al.*) 5: 919-925
— Offset of an upper Pliensbachian geographic zonation in the North American Cordillera by transcurrent movement (Tipper, H. W.) 12: 1788-1792

Miocene: New evidence for the age of the Skonun Formation, Queen Charlotte Islands, British Columbia (Champigny, N., *et al.*) 12: 1900-1903

Ordovician: Stratigraphy of eastern Bay of Exploits, Newfoundland (McKerrow, W. S., *et al.*) 4: 751-764

mud volcanoes *see also* volcanology

Nevada—sedimentary petrology

- reefs*: Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada (Kobluk, David R.) 4: 669-679

Nevada—stratigraphy

- Cambrian*: Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada (Kobluk, David R.) 4: 669-679

New Brunswick—geochronology

- Silurian*: The Pokiok Batholith: a contaminated Acadian intrusion with an anomalous Rb/Sr age (McCutcheon, S., *et al.*) 5: 910-918

New Brunswick—geomorphology

- glacial geology*: Glacial geology of Grand Manan Island, New Brunswick [discussion and reply] (Gadd, Nelson R., *et al.*) 1: 176-177
weathering: Characteristics of residual and colluvial soils developed on granite and of the associated pre-Wisconsin landforms in North-central New Brunswick (Wang, C., *et al.*) 3: 487-494

New Brunswick—stratigraphy

- Cambrian*: A newly recognized sequence of possible Early Cambrian age in southern New Brunswick; evidence for major southward-directed thrusting (McLeod, M. J., *et al.*) 6: 1012-1017

Jurassic: Paleomagnetism of parts of the Late Triassic diabase dike system associated with the trans-New Brunswick aeromagnetic lineament (Seguin, M. K., *et al.*) 12: 1776-1787

Precambrian: Revised stratigraphy of the Long Reach area, southern New Brunswick; evidence for major, northward-directed Acadian thrusting (McCutcheon, S. R.) 3: 646-656

Triassic: Paleomagnetism of parts of the Late Triassic diabase dike system associated with the trans-New Brunswick aeromagnetic lineament (Seguin, M. K., *et al.*) 12: 1776-1787

New Brunswick—structural geology

- tectonics*: A newly recognized sequence of possible Early Cambrian age in southern New Brunswick; evidence for major southward-directed thrusting (McLeod, M. J., *et al.*) 6: 1012-1017

New England—tectonophysics

- paleomagnetism*: Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England (Hurley, P. M., *et al.*) 8: 1248-1260

Newfoundland—geochronology

- Devonian*: Age and origin of the Dover Fault; tectonic boundary between the Gander and Avalon zones of the northeastern Newfoundland Appalachians (Dallmeyer, R. D., *et al.*) 9: 1431-1442

Proterozoic: Geochronology of the Swift Current Granite and host volcanic rocks of the Love Cove Group, southwestern Avalon Zone, Newfoundland; evidence of a late Proterozoic volcanic-subvolcanic association (Dallmeyer, R. D., *et al.*) 4: 699-707

Silurian: $^{40}\text{Ar}/^{39}\text{Ar}$ ages from the Botwood-Mount Peyton region, Newfoundland; possible paleomagnetic implications (Reynolds, P. H., *et al.*) 12: 1850-1855

Newfoundland—oceanography

- continental slope*: Detrital mineralogy and petrology of deep-water continental margin sediments off Newfoundland (Alam, Mahmood, *et al.*) 8: 1336-1345

Newfoundland—stratigraphy

- Ordovician*: A parallochthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland (Casey, John F., *et al.*) 6: 1035-1050

— Melange development in the Boones Point Complex, North-central Newfoundland (Nelson, K. Douglas) 3: 433-442

— Paleoeology of selected conodontophorid species from the Cobbs Arm Formation (Middle Ordovician), New World Island, North-central Newfoundland (Faahraeus, Lars E., *et al.*) 11: 1653-1665

— Stratigraphy of eastern Bay of Exploits, Newfoundland (McKerrow, W. S., *et al.*) 4: 751-764

Proterozoic: Stratigraphy and sedimentology of the late Proterozoic Rock Harbour Group, Flat Islands, Placentia Bay, Newfoundland Avalon Zone (Hiscott, Richard N.) 3: 495-508

Newfoundland—structural geology

- tectonics*: A parallochthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland (Casey, John F., *et al.*) 6: 1035-1050

— Tectonic significance of the northeastern Gander Zone, Newfoundland; an Acadian ductile shear zone (Hanmer, Simon) 1: 121-135

Newfoundland—tectonophysics

- plate tectonics*: Resedimented volcanoclastics in the Carmanville area, northeastern Newfoundland; depositional remnants of early Palaeozoic oceanic islands (Pickerill, R. K., *et al.*) 1: 55-70

nonmetals *see also boron*

North America *see also* Appalachians; Canada; Great Lakes; Great Lakes region; Rocky Mountains

North America—tectonophysics

continental drift: Paleomagnetism of Lower Cambrian volcanics and a cross-cutting Cambro-Ordovician diabase dyke from Buckingham (Quebec)

(Dankers, Peter, *et al*) 7: 1174-1186

— Paleomagnetism of Siluro-Devonian and Cambrian granitic rocks from the Avalon Zone in Cape Breton Island, Nova Scotia

(Rao, K. V., *et al*) 7: 1187-1210

— Paleomagnetism of the Fond du Lac Formation and the Eileen and Middle River sections with implications for Keweenaw tectonics and the Grenville problem

(Watts, Doyle R.) 5: 829-841

crust: A review of geomagnetic variation measurements in the eastern United States; implications for continental tectonics

(Greenhouse, J. P., *et al*) 8: 1268-1289

Northern Hemisphere *see also* Arctic Ocean; Atlantic Ocean; North America; Pacific Ocean

Northwest Territories—economic geology

copper ores: Copper mineralization near an intra-Rapitan unconformity, Nite copper prospect, Mackenzie Mountains, Northwest Territories, Canada [discussion and reply]

(Aitken, J. D., *et al*) 2: 410-418

Northwest Territories—geochemistry

trace elements: Petrochemistry of late Aphebian (~ 1.8 Ga) calc-alkaline diorites from the East Arm of Great Slave Lake, N.W.T., Canada

(Badham, J. P. N.) 6: 1018-1028

Northwest Territories—geomorphology

frost action: Active layer slope movement in a continuous permafrost environment, Garry Island, Northwest Territories, Canada

(Mackay, J. Ross) 11: 1666-1680

Northwest Territories—geophysical surveys

magnetic surveys: A geomagnetic depth sounding profile across the northern Yukon and the Mackenzie Delta region, Canada

(DeLaurier, John M., *et al*) 6: 1092-1100

Northwest Territories—hydrogeology

hydrology: Snowmelt, glacier melt, and High Arctic stream-flow regimes

(Marsh, Philip, *et al*) 8: 1380-1384

Northwest Territories—paleontology

Brachiopoda: Atrypoida species from the Canadian Arctic Islands

(Jones, Brian) 10: 1539-1561

Northwest Territories—petrology

metamorphic rocks: Petrology of the Fort Smith-Great Slave Lake radiometric high near Pilot Lake, N.W.T.

(Burwash, R. A., *et al*) 5: 842-851

Northwest Territories—stratigraphy

Ordovician: Conodonts from the Cape Clay Formation (Lower Ordovician), southern Devon Island, Arctic Archipelago

(Landing, Ed, *et al*) 10: 1609-1628

Proterozoic: Copper mineralization near an intra-Rapitan unconformity, Nite copper prospect, Mackenzie Mountains,

Northwest Territories, Canada [discussion and reply]

(Aitken, J. D., *et al*) 2: 410-418

— Paleomagnetism of basic intrusions from the Brock Inlier, Northwest Territories, Canada

(Park, J. K.) 10: 1637-1641

— Paleomagnetism of the Great Slave Supergroup, Northwest Territories, Canada; multicomponent magnetization of the Kahochella Group

(Reid, A. B., *et al*) 3: 574-583

— Paleomagnetism of the late Proterozoic sills in the Tsezotene Formation, Mckenzie Mountains, Northwest Territories, Canada

(Park, J. K.) 10: 1572-1580

Nova Scotia—geochemistry

trace elements: Petrology of the Gillis Mountain Pluton, Cape Breton Island, Nova Scotia

(Barr, S. M., *et al*) 2: 395-404

— The Shelburne Dike, an early Mesozoic diabase dike in Nova Scotia; mineralogy, chemistry, and regional significance

(Papezik, V. S., *et al*) 8: 1346-1355

Nova Scotia—geochronology

Carboniferous: K-Ar and $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology of granitoid rocks from southern Nova Scotia; its bearing on the geological evolution of the Meguma Zone of the Appalachians

(Reynolds, P. H., *et al*) 2: 386-394

Nova Scotia—oceanography

continental shelf: Crustal structure, seismic stratigraphy, and rift processes of the continental margin off eastern Canada; ocean bottom seismic refraction results off Nova Scotia

(Keen, C. E., *et al*) 10: 1523-1538

Nova Scotia—stratigraphy

Paleozoic: Paleomagnetism of Siluro-Devonian and Cambrian granitic rocks from the Avalon Zone in Cape Breton Island, Nova Scotia

(Rao, K. V., *et al*) 7: 1187-1210

oil sands—properties

electrical properties: Thermophysical characterization of oil sands; 3, Electrical properties

(Das, M., *et al*) 4: 742-750

thermal properties: Thermal conductivity and specific heat of oil sand samples

(Cervenán, M. R., *et al*) 5: 926-931

olistostromes *see under* turbidity current structures *under* sedimentary structures

Oman—geochemistry

isotopes: The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman

(Gale, N. H., *et al*) 8: 1290-1302

Ontario—environmental geology

pollution: Physical and geochemical characteristics of suspended soils, Wilton Creek, Ontario

(Ongley, E. D., *et al*) 8: 1365-1379

Ontario—geochemistry

trace elements: The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study

(Kerrich, R., *et al*) 3: 624-637

Ontario—geochronology

Archean: Geochronology of orthogneiss adjacent to the Archean Lake of the Woods greenstone belt, northwestern Ontario; a possible basement complex (Clark, G. S., *et al.*) 1: 94-102

— Rb-Sr whole-rock geochronology of the Gamitagama area, north central Ontario (Turek, A., *et al.*) 2: 323-329

Holocene: Distribution and chronology of freshwater marls between Kingston and Belleville, Ontario (Vreeken, Willem J.) 7: 1228-1239

Precambrian: Geochronology of Wabigoon Belt granitoids, northwestern Ontario; Rb/Sr isochrons for seven late-tectonic plutons (Birk, Dieter, *et al.*) 1: 157-175

Proterozoic: $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Thanet Gabbro, Ontario; looking through the Grenvillian metamorphic veil and implications for paleomagnetism (Berger, Glenn W., *et al.*) 2: 266-273

Quaternary: Late Quaternary paleomagnetic record of the Goderich Basin, Lake Huron (Mothersill, John S.) 3: 448-456

Ontario—geomorphology

glacial geology: Late-glacial regional ice-flow patterns in eastern Ontario [discussions and reply] (Hillaire-Marcel, Claude, *et al.*) 8: 1385-1393

Ontario—paleontology

Pisces: Pleistocene fishes (Coregonus, Osmerus, Microgadus, Gasterosteus) from Green Creek, Ontario, Canada (McAllister, Don E., *et al.*) 8: 1356-1364

Ontario—petrology

metamorphism: Metamorphism and geothermometry near Coniston, Ontario; a clue to the tectonic evolution of the Grenville Front (La Tour, Timothy E.) 5: 884-898

Ontario—stratigraphy

Pleistocene: Ostracodes and paleoenvironments of the late Quaternary Don and Scarborough formations, Toronto, Ontario (Poplawski, S., *et al.*) 9: 1497-1505

Proterozoic: A positive fold test from Nipissing Diabase (Morris, W. A.) 3: 591-598

— Remagnetization in Keweenaw rocks; Part I, Conglomerates (Palmer, H. C., *et al.*) 3: 599-618

Quaternary: Chemical and X-ray diffraction analyses in tills of southern Ontario (Gwyn, Q. H. J., *et al.*) 3: 584-590

— Late Quaternary marine sediments at Chalk River, Ontario (Catto, N. R., *et al.*) 8: 1261-1267

Silurian: Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island (Johnson, Markes E.) 5: 869-883

Ontario—structural geology

structural analysis: Fabric and origin of gneissic layers in anorthositic rocks of the St. Charles Sill, Ontario (Rousell, D. H.) 11: 1681-1693

tectonics: The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario; a proposed type area for the Kenoran Orogeny (Gower, Charles F., *et al.*) 6: 1075-1091

Ontario—tectonophysics

paleomagnetism: Uplift estimated from remanent magnetization; Munro area of Superior Province since 2150 Ma ago (Buchan, Kenneth L., *et al.*) 7: 1164-1173

plate tectonics: Fault block rotations in the Southern Province as defined by paleomagnetism of the Nipissing diabase (Morris, W. A.) 11: 1755-1757

ophiolite *see under* metaigneous rocks *under* metamorphic rocks; *see under* ultramafics *under* igneous rocks

Ordovician *see also under* geochronology *under* Quebec; *see also under* stratigraphy *under* Newfoundland; Northwest Territories; Quebec

organic materials *see also* oil sands

organic materials—abundance

sedimentary rocks: Organic carbon; a potential indicator of paleoenvironment; two examples (Bertrand, R., *et al.*) 12: 1838-1849

organic materials—hydrocarbons

maturity: Application of correspondence factor analysis to adsorbed gases, offshore Labrador (Bertrand, R., *et al.*) 3: 509-517

methane: The occurrence and origin of methane in some groundwater flow systems (Barker, J. F., *et al.*) 12: 1802-1816

organic materials—kerogen

sediments: Thermal evolution and petroleum potential from studies of kerogens, organic extracts, adsorbed gases and clays from the well Karlsefni H-13, offshore Labrador, Canada (Heroux, Y., *et al.*) 12: 1856-1877

orogeny *see also* geosynclines

orogeny—absolute age

Acadian Phase: Age and origin of the Dover Fault; tectonic boundary between the Gander and Avalon zones of the northeastern Newfoundland Appalachians (Dallmeyer, R. D., *et al.*) 9: 1431-1442

— Geochronology of the Swift Current Granite and host volcanic rocks of the Love Cove Group, southwestern Avalon Zone, Newfoundland; evidence of a late Proterozoic volcanic-subvolcanic association (Dallmeyer, R. D., *et al.*) 4: 699-707

— The Pokiok Batholith; a contaminated Acadian intrusion with an anomalous Rb/Sr age (McCutcheon, S., *et al.*) 5: 910-918

— Zircon isotopic age from the Union ultramafic complex, Maine (Gaudette, Henri E.) 2: 405-409

Grenvillian Orogeny: $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Thanet Gabbro, Ontario; looking through the Grenvillian metamorphic veil and implications for paleomagnetism (Berger, Glenn W., *et al.*) 2: 266-273

Kenoran Orogeny: The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario; a proposed type area for the Kenoran Orogeny (Gower, Charles F., *et al.*) 6: 1075-1091

orogeny—evolution

Cariboo Orogeny: A re-examination of the type area of the Devonian-Mississippian Cariboo Orogeny, central British Columbia (Struik, L. C.) 12: 1767-1775

- Grenvillian Orogeny:** Geologic history of the Saguenay region, Quebec (Central Granulite Terrain of the Grenville Province); a working hypothesis (Dimroth, Erich, *et al.*) 9: 1506-1522
- orogenic belts:** Towards a paleogeography and tectonic evolution of Iran (Berberian, Manuel, *et al.*) 2: 210-265
- Taconic Orogeny:** Structural analysis, deformation and metamorphism of the Oak Hill Group, Mount Sainte-Marquerite area, Quebec Appalachians (Charbonneau, J. M., *et al.*) 6: 1051-1064
- Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City (Belt, Edward S., *et al.*) 6: 981-994
- orogeny—extent**
- Acadian Phase:** Revised stratigraphy of the Long Reach area, southern New Brunswick; evidence for major, northwest-directed Acadian thrusting (McCutcheon, S. R.) 3: 646-656
- Caledonian Orogeny:** The Batbjerg Complex, East Greenland; a unique ultrapotassic Caledonian intrusion (Brooks, C. K., *et al.*) 2: 274-285
- Hudsonian Orogeny:** Metamorphism of the Thompson nickel belt gneisses; Paint Lake, Manitoba (Russell, J. K.) 2: 191-209
- orogeny—mechanism**
- Acadian Phase:** Tectonic significance of the northeastern Gander Zone, Newfoundland; an Acadian ductile shear zone (Hammer, Simon) 1: 121-135
- Ostracoda—paleoecology**
- paleoclimatology:** Ostracodes and paleoenvironments of the late Quaternary Don and Scarborough formations, Toronto, Ontario (Poplawski, S., *et al.*) 9: 1497-1505
- ostracods—biostratigraphy**
- Pleistocene:** Ostracodes and paleoenvironments of the late Quaternary Don and Scarborough formations, Toronto, Ontario (Poplawski, S., *et al.*) 9: 1497-1505
- oxides see under minerals**
- oxygen— isotopes**
- O-18/O-16:** Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rossland volcanic rocks, southern British Columbia (Beddoe-Stephens, B., *et al.*) 5: 858-868
- Late Pleistocene chronology and paleoclimate of Vancouver Island determined from cave deposits (Gascoyne, M., *et al.*) 11: 1643-1652
- Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England (Hurley, P. M., *et al.*) 8: 1248-1260
- The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study (Kerrich, R., *et al.*) 3: 624-637
- Pacific Ocean—tectonophysics**
- plate tectonics:** Queen Charlotte fault zone; microearthquakes from a temporary array of land stations and ocean bottom seismographs (Hyndman, R. D., *et al.*) 4: 776-788
- paleoclimatology—Holocene**
- Saskatchewan:** Stabilized dune ridges in northern Saskatchewan (David, Peter P.) 2: 286-310
- paleoclimatology—Pleistocene**
- British Columbia:** Late Pleistocene chronology and paleoclimate of Vancouver Island determined from cave deposits (Gascoyne, M., *et al.*) 11: 1643-1652
- Ontario:** Ostracodes and paleoenvironments of the late Quaternary Don and Scarborough formations, Toronto, Ontario (Poplawski, S., *et al.*) 9: 1497-1505
- Washington:** Palynology and paleotemperature analysis of the Whidbey Formation, Puget Lowland, Washington (Heusser, Calvin J., *et al.*) 1: 136-149
- paleoecology—analysis**
- coelobiontic taxa:** The record of cavity-dwelling (coelobiontic) organisms in the Paleozoic (Kobluk, David R.) 2: 181-190
- paleoecology—Bryozoa**
- Jurassic:** A Lower Jurassic heteropod bryozoan and associated biota, Turnagain Lake, British Columbia (Henderson, C. M., *et al.*) 3: 457-468
- paleoecology—Cambrian**
- Nevada:** Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada (Kobluk, David R.) 4: 669-679
- paleoecology—Conodonts**
- Ordovician:** Paleocology of selected conodontophorid species from the Cobbs Arm Formation (Middle Ordovician), New World Island, North-central Newfoundland (Faahraeus, Lars E., *et al.*) 11: 1653-1665
- paleoecology—indicators**
- organic carbon:** Organic carbon; a potential indicator of paleoenvironment; two examples (Bertrand, R., *et al.*) 12: 1838-1849
- paleoecology—Mammalia**
- Pleistocene:** Pleistocene muskox (*Ovibos moschatus*) from near Saskatoon, Saskatchewan (Skwara-Woolf, T., *et al.*) 5: 852-857
- paleoecology—Ordovician**
- Quebec:** Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec (Kobluk, David R.) 1: 42-54
- Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec (Lake, John H.) 10: 1562-1571
- paleoecology—Ostracoda**
- Pleistocene:** Ostracodes and paleoenvironments of the late Quaternary Don and Scarborough formations, Toronto, Ontario (Poplawski, S., *et al.*) 9: 1497-1505
- paleoecology—Pisces**
- Pleistocene:** Late Pleistocene fish fossils of *Coregonus*, *Stenodus*, *Thymallus*, *Catostomus*, *Lota*, and *Cottus* from the Old Crow Basin, northern Yukon, Canada (Cumbaa, Stephen L., *et al.*) 11: 1740-1754
- Pleistocene fishes (*Coregonus*, *Osmerus*, *Microgadus*, *Gasterosteus*) from Green Creek, Ontario, Canada (McAllister, Don E., *et al.*) 8: 1356-1364

paleoecology—Pleistocene

- Saskatchewan*: Biostratigraphy and paleoecology of Pleistocene deposits (Riddell Member, Floral Formation, late Rancholabrean), Saskatoon, Canada (Skwara-Woolf, T.) 2: 311-322

paleoecology—Porifera

- Cambrian*: Lower Cambrian cavity-dwelling endolithic (boring) sponges (Kobluk, David R.) 5: 972-980
Ordovician: Middle Ordovician (Chazy Group) cavity-dwelling boring sponges (Kobluk, David R.) 6: 1101-1108

paleoecology—Silurian

- Michigan*: Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island (Johnson, Markes E.) 5: 869-883

paleogeography—Jurassic

- Alberta*: Storm-dominated shallow marine deposits; the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains [discussion and reply] (Jansa, L. F., et al) 3: 665-668

paleogeography—Mesozoic

- Iran*: Towards a paleogeography and tectonic evolution of Iran [discussion and reply] (Haynes, S. J., et al) 11: 1763-1764
Washington: The Spieden Group; an anomalous piece of the Cordilleran paleogeographic puzzle (Johnson, Samuel Y.) 11: 1694-1707

paleogeography—Ordovician

- Quebec*: Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City (Belt, Edward S., et al) 6: 981-994

paleogeography—Phanerozoic

- Iran*: Towards a paleogeography and tectonic evolution of Iran (Berberian, Manuel, et al) 2: 210-265

paleogeography—Quaternary

- Ontario*: Late Quaternary marine sediments at Chalk River, Ontario (Catto, N. R., et al) 8: 1261-1267

paleomagnetism—experimental studies

- isothermal remanent magnetization*: A new model for the acquisition of thermoremanence by multidomain magnetite (Sugiura, Naohji) 4: 789-794

paleomagnetism—Mesozoic

- New Brunswick*: Paleomagnetism of parts of the Late Triassic diabase dike system associated with the trans-New Brunswick aeromagnetic lineament (Seguin, M. K., et al) 12: 1776-1787

paleomagnetism—methods

- statistical methods*: Precision of measurement of remanent magnetization (Briden, J. C., et al) 3: 527-538

paleomagnetism—Paleozoic

- New England*: Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England (Hurley, P. M., et al) 8: 1248-1260
Nova Scotia: Paleomagnetism of Siluro-Devonian and Cambrian granitic rocks from the Avalon Zone in Cape Breton Island, Nova Scotia (Rao, K. V., et al) 7: 1187-1210

- Quebec*: Paleomagnetism of Lower Cambrian volcanics and a cross-cutting Cambro-Ordovician diabase dyke from Buckingham (Quebec) (Dankers, Peter, et al) 7: 1174-1186

paleomagnetism—Precambrian

- Canadian Shield*: Fault block rotations in the Southern Province as defined by paleomagnetism of the Nipissing diabase (Morris, W. A.) 11: 1755-1757

- Uplift estimated from remanent magnetization; Munro area of Superior Province since 2150 Ma ago (Buchan, Kenneth L., et al) 7: 1164-1173

paleomagnetism—Proterozoic

- Canadian Shield*: $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Thanet Gabbro, Ontario; looking through the Grenvillian metamorphic veil and implications for paleomagnetism (Berger, Glenn W., et al) 2: 266-273

- Great Lakes region*: Paleomagnetism of the Fond du Lac Formation and the Eileen and Middle River sections with implications for Keweenaw tectonics and the Grenville problem (Watts, Doyle R.) 5: 829-841

- Remagnetization in Keweenaw rocks; Part I, Conglomerates (Palmer, H. C., et al) 3: 599-618

- Michigan*: Remagnetization in Keweenaw rocks; Part II, Lava flows within the Copper Harbor Conglomerate, Michigan (Halls, H. C., et al) 9: 1395-1408

- Northwest Territories*: Paleomagnetism of basic intrusions from the Brock Inlier, Northwest Territories, Canada (Park, J. K.) 10: 1637-1641

- Paleomagnetism of the Great Slave Supergroup, Northwest Territories, Canada; multicomponent magnetization of the Kahochella Group (Reid, A. B., et al) 3: 574-583

- Paleomagnetism of the late Proterozoic sills in the Tsezo-tene Formation, McKenzie Mountains, Northwest Territories, Canada (Park, J. K.) 10: 1572-1580

- Ontario*: A positive fold test from Nipissing Diabase (Morris, W. A.) 3: 591-598

- Quebec*: Paleomagnetic study of Proterozoic rocks in the Sakami Formation, La Grande Riviere region, New Quebec, Canada (Seguin, Maurice K., et al) 12: 1893-1899

paleomagnetism—Quaternary

- Great Lakes*: Late Quaternary paleomagnetic record of the Goderich Basin, Lake Huron (Mothersill, John S.) 3: 448-456

paleomagnetism—Silurian

- Newfoundland*: $^{40}\text{Ar}/^{39}\text{Ar}$ ages from the Botwood-Mount Peyton region, Newfoundland; possible paleomagnetic implications (Reynolds, P. H., et al) 12: 1850-1855

paleomagnetism—Triassic

- British Columbia*: Errata; Displacement of Vancouver Island; paleomagnetic evidence from the Karmutsen Formation (Yoe, R. W., et al) 4: 828

- Paleozoic** see also under stratigraphy under Maritime Provinces; Nova Scotia; Quebec

Paleozoic—paleontology

paleoecology: The record of cavity-dwelling (coelobiontic) organisms in the Paleozoic
(Kobluk, David R.) 2: 181-190

palynomorphs—biostratigraphy

Miocene: New evidence for the age of the Skonun Formation, Queen Charlotte Islands, British Columbia
(Champigny, N., *et al.*) 12: 1900-1903

Ordovician: A parallochthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland
(Casey, John F., *et al.*) 6: 1035-1050

Tertiary: Thermal evolution and petroleum potential from studies of kerogens, organic extracts, adsorbed gases and clays from the well Karlsefni H-13, offshore Labrador, Canada
(Heroux, Y., *et al.*) 12: 1856-1877

palynomorphs—miospores

Pleistocene: Minimum age of deglaciation of upper Elk Valley, British Columbia
(Ferguson, Angus, *et al.*) 10: 1635-1636

— Palynology and paleotemperature analysis of the Whidbey Formation, Puget Lowland, Washington
(Heusser, Calvin J., *et al.*) 1: 136-149

peat see also under organic residues under sediments

permafrost—frost action

indicators: Distribution of active glaciers and rock glaciers compared to the distribution of permafrost landforms, based on freezing and thawing indices
(Harris, Stuart A.) 2: 376-481

Permian see also under stratigraphy under China; Taiwan

petroleum see also under economic geology under Labrador

Phanerozoic see also under stratigraphy under Iran

phase equilibria—mineral assemblages

$\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O-CO}_2$: Thermodynamic regime of greenschist metamorphism of basic volcanic rocks after experimental data
(Pluysina, L. P., *et al.*) 8: 1303-1309

Pisces—morphology

statistical analysis: Semicircular canal size in fossil fishes and amphibians
(Bernackek, Garry M., *et al.*) 1: 150-156

Pisces—Osteichthyes

Pleistocene: Late Pleistocene fish fossils of Coregonus, Stenodus, Thymallus, Catostomus, Lota, and Cottus from the Old Crow Basin, northern Yukon, Canada
(Cumbaa, Stephen L., *et al.*) 11: 1740-1754

— Pleistocene fishes (Coregonus, Osmerus, Microgadus, Gasterosteus) from Green Creek, Ontario, Canada
(McAllister, Don E., *et al.*) 8: 1356-1364

Plantae see also algae; ichnofossils; palynomorphs; problematic fossils

plate tectonics see also under tectonophysics under British Columbia; Canada; Canadian Shield; Great Lakes region; Iran; Mediterranean region; Newfoundland; Ontario; Pacific Ocean

Pleistocene see also under geochronology under British Columbia; see also under stratigraphy under British Columbia; Ontario; Saskatchewan; Washington

plutons see under intrusions

pollution see also under environmental geology under Ontario

polymetallic ores see also gold

Porifera—Demospongiae

Cambrian: Lower Cambrian cavity-dwelling endolithic (boring) sponges
(Kobluk, David R.) 5: 972-980

Porifera—paleoecology

habitat: Middle Ordovician (Chazy Group) cavity-dwelling boring sponges
(Kobluk, David R.) 6: 1101-1108

reefs: Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec
(Kobluk, David R.) 1: 42-54

— Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada
(Kobluk, David R.) 4: 669-679

potassium—abundance

movement: Utilizing multi-channel airborne gamma-ray spectra
(Dickson, B. H., *et al.*) 12: 1793-1801

Precambrian see also under geochronology under Canadian Shield; Ontario; Quebec; Saskatchewan; see also under stratigraphy under New Brunswick

problematic fossils—fossilization

preservation: Carbonaceous megafossils from the Precambrian (1800 Ma) near Jixian, northern China
(Hofmann, H. J., *et al.*) 3: 443-447

protactinium— isotopes

Pa-231: The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments
(Huntley, D. J., *et al.*) 3: 419-432

Proterozoic see also under geochronology under Canadian Shield; Labrador; Manitoba; Newfoundland; Ontario; see also under stratigraphy under Canadian Shield; Great Lakes region; Michigan; Minnesota; Newfoundland; Northwest Territories; Ontario; Quebec; Wisconsin

Quaternary see also under geochronology under Ontario; see also under stratigraphy under British Columbia; Ontario

Quebec—economic geology

copper ores: Evidence from lead isotopes regarding the genesis of ore deposits in the Chibougamau region, Quebec
(Thorpe, R. I., *et al.*) 4: 708-723

Quebec—engineering geology

geologic hazards: A closer look at the September 16, 1732, Montreal earthquake
(Leblanc, Gabriel) 3: 539-550

reservoirs: Induced seismicity at LG-2 Reservoir
(Buchbinder, G. G. R., *et al.*) 4: 693-698

Quebec—geochemistry

isotopes: Spatial and temporal variations of cesium-137 and carbon in sediments from the Saguenay Fjord
(Barbeau, C., *et al.*) 6: 1004-1011

trace elements: Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord
(Barbeau, C., *et al.*) 6: 1065-1074

— The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec
(Clague, David, *et al.*) 3: 469-486

Quebec—geochronology

Cambrian: The Sept Îles anorthosite complex; field relationships, geochronology, and petrology
(Higgins, Michael D., *et al.*) 3: 561-573

Ordovician: The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec
(Clague, David, *et al.*) 3: 469-486

Precambrian: Evidence from lead isotopes regarding the genesis of ore deposits in the Chibougamau region, Quebec
(Thorpe, R. I., *et al.*) 4: 708-723

Quebec—geomorphology

frost action: Ice action on lakeshores near Schefferville, central Quebec-Labrador, Canada
(Pyokari, Mauri) 10: 1629-1634

Quebec—petrology

igneous rocks: Cambro-Proterozoic volcanism near Buckingham, Quebec
(Lafleur, Jean, *et al.*) 12: 1817-1823

— Post-tectonic igneous rocks; North-central Labrador Geosyncline
(Dressler, B.) 11: 1758-1762

metamorphic rocks: Amphibolite associated with the Thetford Mines ophiolite complex at Belmina Ridge, Quebec
(Feininger, Tomas) 12: 1878-1892

Quebec—sedimentary petrology

reefs: Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec
(Kobluk, David R.) 1: 42-54

— Middle Ordovician (Chazy Group) cavity-dwelling boring sponges
(Kobluk, David R.) 6: 1101-1108

sedimentary rocks: Polygenetic ophiolitic conglomerates; ancient ocean-bottom talus slopes?
(Hebert, Rejean) 3: 619-623

— Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City
(Belt, Edward S., *et al.*) 6: 981-994

sedimentary structures: Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec
(Lake, John H.) 10: 1562-1571

Quebec—seismology

earthquakes: A closer look at the September 16, 1732, Montreal earthquake
(Leblanc, Gabriel) 3: 539-550

— Characteristics of the western Quebec seismic zone
(Forsyth, D. A.) 1: 103-119

— Induced seismicity at LG-2 Reservoir
(Buchbinder, G. G. R., *et al.*) 4: 693-698

Quebec—stratigraphy

Cambrian: Deposition of the Cambrian continental rise; the St. Roch Formation near St. Jean-Port-Joli, Quebec
(Strong, Percy G., *et al.*) 8: 1320-1335

— Paleomagnetism of Lower Cambrian volcanics and a cross-cutting Cambro-Ordovician diabase dyke from Buckingham (Quebec)
(Dankers, Peter, *et al.*) 7: 1174-1186

Ordovician: Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec
(Kobluk, David R.) 1: 42-54

— The Ordovician-Silurian boundary at the eastern end of Anticosti Island
(Cocks, L. R. M., *et al.*) 6: 1029-1034

Paleozoic: Organic carbon; a potential indicator of paleoenvironment; two examples
(Bertrand, R., *et al.*) 12: 1838-1849

Proterozoic: Paleomagnetic study of Proterozoic rocks in the Sakami Formation, La Grande Riviere region, New Quebec, Canada
(Seguin, Maurice K., *et al.*) 12: 1893-1899

Silurian: The Ordovician-Silurian boundary at the eastern end of Anticosti Island
(Cocks, L. R. M., *et al.*) 6: 1029-1034

Quebec—structural geology

orogeny: Geologic history of the Saguenay region, Quebec (Central Granulite Terrain of the Grenville Province); a working hypothesis
(Dimroth, Erich, *et al.*) 9: 1506-1522

tectonics: Structural analysis, deformation and metamorphism of the Oak Hill Group, Mount Sainte-Marquerite area, Quebec Appalachians
(Charbonneau, J. M., *et al.*) 6: 1051-1064

Quebec—tectonophysics

crust: Gravity and magnetic anomalies of the Sutton Mountains region, Quebec and Vermont; expressions of rift volcanics related to the opening of Iapetus
(Kumarapeli, P. S., *et al.*) 4: 680-692

radioactive dating *see* absolute age**rare earths—abundance**

garnet: Chemical and X-ray diffraction analyses in tills of southern Ontario
(Gwyn, Q. H. J., *et al.*) 3: 584-590

metasedimentary rocks: The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study
(Kerrich, R., *et al.*) 3: 624-637

reefs *see also* under sedimentary petrology under Nevada; Quebec

regional geology *see* areal geology under the appropriate area term

remote sensing *see also* geophysical methods

Reptilia—dinosaurs

Cretaceous: The walking speed of dinosaurs from the Peace River canyon, British Columbia, Canada
(Kool, Richard) 4: 823

Reptilia—Eosuchia

morphology: The vertebrae of Youngina (Reptilia; Eosuchia)
(Currie, Philip J.) 4: 815-818

Reptilia—Ornithischia

Cretaceous: The structure and relationships of the horned dinosaur Arrhinoceratops Parks (Ornithischia; Ceratopsidae)
(Tyson, Helen) 8: 1241-1247

Reptilia—Saurischia

Cretaceous: A new specimen of Struthiomimus altus from Alberta, with comments on the classificatory characters of Upper Cretaceous ornithomimids
(Nicholls, Elizabeth L., *et al.*) 3: 518-526

reservoirs *see also* under engineering geology under Quebec

Rocky Mountains—sedimentary petrology

sedimentation: Sedimentation in proglacial Sunwapta Lake, Alberta
(Gilbert, Robert, *et al.*) 1: 81-93

Rocky Mountains—stratigraphy

Jurassic: Storm-dominated shallow marine deposits; the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains [discussion and reply]
(Jansa, L. F., *et al.*) 3: 665-668

sandstone *see also* under clastic rocks *under* sedimentary rocks

Saskatchewan—engineering geology

geologic hazards: Thawing of seasonally frozen ground in organic terrain in central Saskatchewan
(FritzGibbon, J. E.) 9: 1492-1496

Saskatchewan—geochronology

Precambrian: The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan [reply]
(Ray, G. E.) 6: 1109

Saskatchewan—geomorphology

eolian features: Stabilized dune ridges in northern Saskatchewan
(David, Peter P.) 2: 286-310

Saskatchewan—paleontology

Mammalia: Pleistocene muskox (*Ovibos moschatus*) from near Saskatoon, Saskatchewan
(SkwaraWoolf, T., *et al.*) 5: 852-857

Saskatchewan—stratigraphy

Pleistocene: Biostratigraphy and paleoecology of Pleistocene deposits (Riddell Member, Floral Formation, late Rancholabrean), Saskatoon, Canada
(SkwaraWoolf, T.) 2: 311-322

Saskatchewan—tectonophysics

crust: The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan [discussion]
(Lewry, J. F.) 1: 178-180

sedimentary rocks *see also* sedimentary structures; sedimentation; sediments

sedimentary rocks—carbonate rocks

lithofacies: Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec
(Lake, John H.) 10: 1562-1571

sedimentary rocks—clastic rocks

conglomerate: Polygenetic ophiolitic conglomerates; ancient ocean-bottom talus slopes?
(Hebert, Rejean) 3: 619-623

— Remagnetization in Keweenaw rocks; Part I, Conglomerates
(Palmer, H. C., *et al.*) 3: 599-618

— Stratigraphy and sedimentology of the late Proterozoic Rock Harbour Group, Flat Islands, Placentia Bay, Newfoundland Avalon Zone
(Hiscott, Richard N.) 3: 495-508

lithofacies: Deposition of the Cambrian continental rise; the St. Roch Formation near St. Jean-Port-Joli, Quebec
(Strong, Percy G., *et al.*) 8: 1320-1335

lithostratigraphy: The Spieden Group; an anomalous piece of the Cordilleran paleogeographic puzzle
(Johnson, Samuel Y.) 11: 1694-1707

marl: Distribution and chronology of freshwater marls between Kingston and Belleville, Ontario
(Vreeken, Willem J.) 7: 1228-1239

sandstone: Cardium Formation (U. Cretaceous) at Seebe, Alberta; storm-transported sandstones and conglomerates in

shallow marine depositional environments below fair-weather wave base

(Wright, Marsha E., *et al.*) 4: 795-809

tillite: Experimental formation and significance of etch patterns on detrital garnets

(Gravenor, C. P., *et al.*) 4: 765-775

sedimentary rocks—environmental analysis

organic carbon: Organic carbon; a potential indicator of paleoenvironment; two examples
(Bertrand, R., *et al.*) 12: 1838-1849

sedimentary rocks—geochemistry

isotopes: The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman

(Gale, N. H., *et al.*) 8: 1290-1302

sedimentary rocks—lithofacies

environmental analysis: Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City
(Belt, Edward S., *et al.*) 6: 981-994

sedimentary rocks—lithostratigraphy

Eocene: Regional stratigraphy and structural setting of the Kamloops Group, South-central British Columbia
(Ewing, Thomas E.) 9: 1464-1477

Ordovician: A parallochthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland

(Casey, John F., *et al.*) 6: 1035-1050

sedimentary structures *see also* sedimentary rocks; sediments

sedimentary structures—biogenic structures

algal mounds: Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec
(Lake, John H.) 10: 1562-1571

bioturbation: Lower Cambrian cavity-dwelling endolithic (boring) sponges
(Kobluk, David R.) 5: 972-980

sedimentary structures—environmental analysis

nearshore environment: Storm-dominated shallow marine deposits; the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains [discussion and reply]
(Jansa, L. F., *et al.*) 3: 665-668

storms: Cardium Formation (U. Cretaceous) at Seebe, Alberta; storm-transported sandstones and conglomerates in shallow marine depositional environments below fair-weather wave base

(Wright, Marsha E., *et al.*) 4: 795-809

sedimentary structures—turbidity current structures

graded bedding: Deposition of the Cambrian continental rise; the St. Roch Formation near St. Jean-Port-Joli, Quebec
(Strong, Percy G., *et al.*) 8: 1320-1335

olistostromes: Stratigraphy and sedimentology of the late Proterozoic Rock Harbour Group, Flat Islands, Placentia Bay, Newfoundland Avalon Zone

(Hiscott, Richard N.) 3: 495-508

— Stratigraphy of eastern Bay of Exploits, Newfoundland
(McKerrow, W. S., *et al.*) 4: 751-764

— Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City
(Belt, Edward S., *et al.*) 6: 981-994

sedimentation—controls

- tectonic controls:* Melange development in the Boones Point Complex, North-central Newfoundland (Nelson, K. Douglas) 3: 433-442

sedimentation—cyclic processes

- marine sedimentation:* Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island (Johnson, Markes E.) 5: 869-883

sedimentation—environment

- lacustrine environment:* Distribution and chronology of freshwater marls between Kingston and Belleville, Ontario (Vreeken, Willem J.) 7: 1228-1239
- marine environment:* Late Quaternary marine sediments at Chalk River, Ontario (Catto, N. R., et al) 8: 1261-1267
- shelf environment:* Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec (Lake, John H.) 10: 1562-1571

slope environment: Polygenetic ophiolitic conglomerates; ancient ocean-bottom talus slopes?

- (Hebert, Rejean) 3: 619-623
- Stratigraphy and sedimentology of the late Proterozoic Rock Harbour Group, Flat Islands, Placentia Bay, Newfoundland Avalon Zone (Hiscott, Richard N.) 3: 495-508

sedimentation—processes

- chemical sedimentation:* The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario; a reconnaissance study (Kerrich, R., et al) 3: 624-637

deep-sea sedimentation: Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City (Belt, Edward S., et al) 6: 981-994

detrital sedimentation: Detrital mineralogy and petrology of deep-water continental margin sediments off Newfoundland (Alam, Mahmood, et al) 8: 1336-1345

— Experimental formation and significance of etch patterns on detrital garnets (Gravenor, C. P., et al) 4: 765-775

glacial sedimentation: Coquitlam drift; a pre-Vashon Fraser glacial formation in the Fraser Lowland, British Columbia (Hicock, Stephen R., et al) 9: 1443-1451

— Late Quaternary sediments and geomorphic history of North-central Vancouver Island (Howes, D. E.) 1: 1-12

glaciomarine sedimentation: Submarine flow tills at Victoria, British Columbia (Hickock, Stephen R., et al) 1: 71-80

lacustrine sedimentation: On lake bottom dynamics; the energy-topography factor (Haakanson, Lars) 5: 899-909

— Sedimentation in proglacial Sunwapta Lake, Alberta (Gilbert, Robert, et al) 1: 81-93

nearshore sedimentation: Storm-dominated shallow marine deposits; the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains [discussion and reply] (Jansa, L. F., et al) 3: 665-668

sedimentation—provenance

- paleocurrents:* Deposition of the Cambrian continental rise; the St. Roch Formation near St. Jean-Port-Joli, Quebec (Strong, Percy G., et al) 8: 1320-1335

till: Chemical and X-ray diffraction analyses in tills of southern Ontario (Gwyn, Q. H. J., et al) 3: 584-590

sedimentation—rates

fluvial sedimentation: Spatial and temporal variations of cesium-137 and carbon in sediments from the Saguenay Fjord (Barbeau, C., et al) 6: 1004-1011

— Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord (Barbeau, C., et al) 6: 1065-1074

indicators: The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments (Huntley, D. J., et al) 3: 419-432

sedimentation—transport

marine transport: Cardium Formation (U. Cretaceous) at Seebe, Alberta; storm-transported sandstones and conglomerates in shallow marine depositional environments below fair-weather wave base (Wright, Marsha E., et al) 4: 795-809

stream transport: Physical and geochemical characteristics of suspended soils, Wilton Creek, Ontario (Ongley, E. D., et al) 8: 1365-1379

turbidity currents: Resedimented volcanoclastics in the Carmanville area, northeastern Newfoundland; depositional remnants of early Palaeozoic oceanic islands (Pickerill, R. K., et al) 1: 55-70

wind transport: Stabilized dune ridges in northern Saskatchewan (David, Peter P.) 2: 286-310

sediments see also sedimentary rocks; sedimentary structures; sedimentation

sediments—clastic sediments

distribution: Distribution and chronology of freshwater marls between Kingston and Belleville, Ontario (Vreeken, Willem J.) 7: 1228-1239

drift: Coquitlam drift; a pre-Vashon Fraser glacial formation in the Fraser Lowland, British Columbia (Hicock, Stephen R., et al) 9: 1443-1451

— Late Quaternary sediments and geomorphic history of North-central Vancouver Island (Howes, D. E.) 1: 1-12

till: Chemical and X-ray diffraction analyses in tills of southern Ontario (Gwyn, Q. H. J., et al) 3: 584-590

— Submarine flow tills at Victoria, British Columbia (Hickock, Stephen R., et al) 1: 71-80

sediments—environmental analysis

lacustrine environment: Sedimentation in proglacial Sunwapta Lake, Alberta (Gilbert, Robert, et al) 1: 81-93

sediments—geochemistry

isotopes: Spatial and temporal variations of cesium-137 and carbon in sediments from the Saguenay Fjord (Barbeau, C., et al) 6: 1004-1011

mercury: Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord (Barbeau, C., et al) 6: 1065-1074

- organic materials:** Thermal evolution and petroleum potential from studies of kerogens, organic extracts, adsorbed gases and clays from the well Karlsefni H-13, offshore Labrador, Canada
(Heroux, Y., *et al.*) 12: 1856-1877
- trace elements:** Late Quaternary marine sediments at Chalk River, Ontario
(Catto, N. R., *et al.*) 8: 1261-1267
- sediments—marine sediments**
- geochemistry:** The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments
(Huntley, D. J., *et al.*) 3: 419-432
- provenance:** Detrital mineralogy and petrology of deep-water continental margin sediments off Newfoundland
(Alam, Mahmood, *et al.*) 8: 1336-1345
- sediments—organic residues**
- peat:** Active layer slope movement in a continuous permafrost environment, Garry Island, Northwest Territories, Canada
(Mackay, J. Ross) 11: 1666-1680
- seismic surveys** *see under* geophysical surveys *under* Arctic Ocean; Atlantic Ocean; Manitoba
- seismology—crust**
- structures:** Results of a seismic reflection survey across the fault zone between the Thompson nickel belt and the Churchill tectonic province, northern Manitoba
(Green, A. G.) 1: 13-25
- velocity structure:** Crustal structure and velocity anisotropy beneath the Beaufort Sea
(Mair, J. A., *et al.*) 4: 724-741
- Crustal structure, seismic stratigraphy, and rift processes of the continental margin off eastern Canada; ocean bottom seismic refraction results off Nova Scotia
(Keen, C. E., *et al.*) 10: 1523-1538
- seismology—earthquakes**
- history:** A closer look at the September 16, 1732, Montreal earthquake
(Leblanc, Gabriel) 3: 539-550
- seismology—elastic waves**
- P-waves:** A model for P-wave nodal solutions
(Geuer, J. W., *et al.*) 4: 818-823
- seismology—microearthquakes**
- causes:** Induced seismicity at LG-2 Reservoir
(Buchbinder, G. G. R., *et al.*) 4: 693-698
- seismotectonics:** Queen Charlotte fault zone; microearthquakes from a temporary array of land stations and ocean bottom seismographs
(Hyndman, R. D., *et al.*) 4: 776-788
- seismology—seismicity**
- patterns:** Seismicity in the Mica Reservoir (McNaughton Lake) area; 1973-1978
(Ellis, R. M., *et al.*) 11: 1708-1716
- seismotectonics:** McNaughton Lake seismicity; more evidence for an Anahim hotspot?
(Rogers, Garry C.) 4: 826-828
- zoning:** Characteristics of the western Quebec seismic zone
(Forsyth, D. A.) 1: 103-119
- seismology—theoretical studies**
- synthetic seismograms:** Modeling of zero-offset reflection profiles with asymptotic ray theory
(McMechan, George A.) 3: 551-560
- shear zones** *see under* effects *under* faults
- sills** *see under* intrusions
- Silurian** *see also under* geochronology *under* New Brunswick; Newfoundland; *see also under* stratigraphy *under* Great Lakes region; Michigan; Ontario; Quebec
- slope stability** *see also* geomorphology
- soils—surveys**
- New Brunswick:** Characteristics of residual and colluvial soils developed on granite and of the associated pre-Wisconsinan landforms in North-central New Brunswick
(Wang, C., *et al.*) 3: 487-494
- Southern Hemisphere** *see also* Atlantic Ocean; Pacific Ocean
- Spongiae** *see* Porifera
- springs** *see also* ground water
- strontium—isotopes**
- Sr-87/Sr-86:** Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rossland volcanic rocks, southern British Columbia
(Beddoe-Stephens, B., *et al.*) 5: 858-868
- Geology and geochronology of Helikian magmatism, western Labrador
(Brooks, Christopher, *et al.*) 7: 1211-1227
- Petrology and geochemistry of the Kamloops Group volcanics, British Columbia
(Ewing, Thomas E.) 9: 1478-1491
- Rb/Sr geochronology in the Thompson Belt, Manitoba; implications for Aphebian crustal development and metallogenesis
(Brooks, C., *et al.*) 5: 932-943
- The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman
(Gale, N. H., *et al.*) 8: 1290-1302
- The Pokiok Batholith; a contaminated Acadian intrusion with an anomalous Rb/Sr age
(McCutcheon, S., *et al.*) 5: 910-918
- structural analysis** *see also* folds
- structural analysis—faults**
- patterns:** Faulting and fracturing in part of the Duluth Complex, northeastern Minnesota
(Foote, Michael P., *et al.*) 4: 810-814
- structural analysis—folds**
- paleomagnetism:** A positive fold test from Nipissing Diabase
(Morris, W. A.) 3: 591-598
- structural analysis—foliation**
- gneisses:** Geologic history of the Saguenay region, Quebec (Central Granulite Terrain of the Grenville Province); a working hypothesis
(Dimroth, Erich, *et al.*) 9: 1506-1522
- structural analysis—fractures**
- stress:** Stress orientations from oil-well fractures in Alberta and Texas
(Gough, D. I., *et al.*) 3: 638-645
- structural analysis—interpretation**
- geodynamics:** A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia
(Ross, John V.) 10: 1581-1598
- interference patterns:** Structural analysis, deformation and metamorphism of the Oak Hill Group, Mount Sainte-Marquerite area, Quebec Appalachians
(Charbonneau, J. M., *et al.*) 6: 1051-1064

- Tectonic history of a segment of the Pelagonian Zone, northeastern Greece
(Nance, Damian) 7: 1111-1126
- The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario; a proposed type area for the Kenoran Orogeny
(Gower, Charles F., *et al.*) 6: 1075-1091
- melange:** Melange development in the Boones Point Complex, North-central Newfoundland
(Nelson, K. Douglas) 3: 433-442
- mylonites:** Columbia River fault zone; southeastern margin of the Shuswap and Monashee complexes, southern British Columbia
(Read, Peter B., *et al.*) 7: 1127-1145
- petrofabrics:** Fabric and origin of gneissic layers in anorthositic rocks of the St. Charles Sill, Ontario
(Rousell, D. H.) 11: 1681-1693
- Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador
(Wiener, Richard W.) 9: 1409-1421
- shear zones:** Tectonic significance of the northeastern Gander Zone, Newfoundland; an Acadian ductile shear zone
(Hammer, Simon) 1: 121-135
- structural analysis—preferred orientation**
- hornblende:** A comparison of mineral grain fabrics and finite strain in amphibolites from eastern Finland
(Gapais, Denis, *et al.*) 6: 995-1003
- structural petrology** *see* structural analysis
- Syria—geochemistry**
- isotopes:** The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman
(Gale, N. H., *et al.*) 8: 1290-1302
- Taiwan—stratigraphy**
- Permian:** Permian fusulinacean zones and their biogeographic provinces in South China
(Rui Lin) 2: 342-349
- tar sands** *see* oil sands
- tectonics** *see also* faults; folds; geosynclines; orogeny; structural analysis; *see also* under structural geology under Appalachians; British Columbia; Canadian Shield; Greece; Iran; Labrador; New Brunswick; Newfoundland; Ontario; Quebec
- Tertiary** *see also* under stratigraphy under Labrador
- Texas—tectonophysics**
- crust:** Stress orientations from oil-well fractures in Alberta and Texas
(Gough, D. I., *et al.*) 3: 638-645
- thorium—abundance**
- movement:** Utilizing multi-channel airborne gamma-ray spectra
(Dickson, B. H., *et al.*) 12: 1793-1801
- thorium— isotopes**
- Th-230:** The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments
(Huntley, D. J., *et al.*) 3: 419-432
- thrust faults** *see* under displacements under faults
- trace elements** *see* under experimental studies under geochemistry; *see* under geochemistry under British Columbia; Canadian Shield; Northwest Territories; Nova Scotia; Ontario; Quebec; sediments
- Triassic** *see also* under stratigraphy under British Columbia; New Brunswick
- trilobites—biostratigraphy**
- Ordovician:** Stratigraphy of eastern Bay of Exploits, Newfoundland
(McKerrow, W. S., *et al.*) 4: 751-764
- turbidity current structures** *see* under sedimentary structures
- underground water** *see* ground water
- United States** *see also* the individual states and regions
- uranium—abundance**
- movement:** Utilizing multi-channel airborne gamma-ray spectra
(Dickson, B. H., *et al.*) 12: 1793-1801
- vanadium—abundance**
- sediments:** Late Quaternary marine sediments at Chalk River, Ontario
(Catto, N. R., *et al.*) 8: 1261-1267
- Vermont—tectonophysics**
- crust:** Gravity and magnetic anomalies of the Sutton Mountains region, Quebec and Vermont; expressions of rift volcanics related to the opening of Iapetus
(Kumarapeli, P. S., *et al.*) 4: 680-692
- Vertebrata** *see also* Amphibia; ichnofossils; Mammalia; Pisces; problematic fossils; Reptilia
- volcanism** *see* under volcanology
- volcanology—volcanism**
- hot spots:** McNaughton Lake seismicity; more evidence for an Anahim hotspot?
(Rogers, Garry C.) 4: 826-828
- island arcs:** Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rossland volcanic rocks, southern British Columbia
(Beddoe-Stephens, B., *et al.*) 5: 858-868
- Washington—stratigraphy**
- Cretaceous:** The Spieden Group; an anomalous piece of the Cordilleran paleogeographic puzzle
(Johnson, Samuel Y.) 11: 1694-1707
- Jurassic:** The Spieden Group; an anomalous piece of the Cordilleran paleogeographic puzzle
(Johnson, Samuel Y.) 11: 1694-1707
- Pleistocene:** Palynology and paleotemperature analysis of the Whidbey Formation, Puget Lowland, Washington
(Heusser, Calvin J., *et al.*) 1: 136-149
- weathering** *see also* under geomorphology under New Brunswick
- Western Hemisphere** *see also* Atlantic Ocean; North America; Pacific Ocean
- Wisconsin—stratigraphy**
- Proterozoic:** Paleomagnetism of the Fond du Lac Formation and the Eileen and Middle River sections with implications for Keweenaw tectonics and the Grenville problem
(Watts, Doyle R.) 5: 829-841
- Yukon Territory—environmental geology**
- geologic hazards:** Estimates of the magnitude of glacier outburst floods from Lake Donjek, Yukon Territory, Canada
(Clarke, G. K. C., *et al.*) 9: 1452-1463
- Yukon Territory—geomorphology**
- glacial geology:** The structure of a talus-derived rock glacier deduced from its hydrology
(Johnson, P. G.) 9: 1422-1430
- mass movements:** Landslides at the south end of Klauane Lake, Yukon Territory
(Clague, John J.) 5: 959-971

Yukon Territory—paleontology

Pisces: Late Pleistocene fish fossils of *Coregonus*, *Stenodus*, *Thymallus*, *Catostomus*, *Lota*, and *Cottus* from the Old Crow Basin, northern Yukon, Canada
(Cumbaa, Stephen L., *et al*) 11: 1740-1754

Yukon Territory—tectonophysics

crust: A geomagnetic depth sounding profile across the

northern Yukon and the Mackenzie Delta region, Canada
(DeLaurier, John M., *et al*) 6: 1092-1100

zinc—abundance

sediments: Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay Fjord
(Barbeau, C., *et al*) 6: 1065-1074

Canadian Journal of Earth Sciences

Journal canadien des sciences de la terre

Volume 18 • 1981

Editor M. E. EVANS Directeur scientifique
Assistant to the Editor P. M. CAMPBELL Adjointe au directeur scientifique

Associate Editors/Directeurs scientifiques associés

L. D. AYRES	T. N. IRVINE	R. A. PRICE
M. J. BERRY	M. J. KEEN	N. RAST
W. BLAKE, JR.	A. D. MIALl	D. A. RUSSELL
W. G. E. CALDWELL	J. W. H. MONGER	D. F. STRONG
E. D. GHENT	H. MORRIS	R. O. VAN EVERDINGEN

PUBLISHING DEPARTMENT SERVICE DE PUBLICATION
at the National Research Council of Canada du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP Directeur général
Assistant Editor-in-chief P. A. REDHEAD Directeur général adjoint
Manager G. H. M. ADAMS Directrice administrative
Publishing Supervisor S. E. JENNESS Préposé de la publication
Senior Publication Officer F. M. KAVCIC Agent supérieur à la publication
Publication Officer S. A. DiLABIO Agent à la publication

Published by the
National Research Council
of Canada

Publié par le
Conseil national de recherches
du Canada

CONTENTS/SOMMAIRE

JANUARY/JANVIER

Instructions to authors	v
Recommandations aux auteurs	vii

ARTICLES

D. E. Howes Late Quaternary sediments and geomorphic history of north-central Vancouver Island	1
A. G. Green Results of a seismic reflection survey across the fault zone between the Thompson nickel belt and the Churchill Tectonic Province, northern Manitoba	13
W. A. Ranson Anorthosites of diverse magma types in the Puttuala Lake area, Nain complex, Labrador	26
David R. Kobluk Cavity-dwelling biota in Middle Ordovician (Chazy) bryozoan mounds from Quebec	42
R. K. Pickerill, G. E. Pajari, Jr., and K. L. Currie Resedimented volcanoclastics in the Carmanville area, northeastern Newfoundland—depositional remnants of Early Palaeozoic oceanic islands	55
Stephen R. Hicock, Aleksis Dreimanis, and Bruce E. Broster Submarine flow tills at Victoria, British Columbia	71
Robert Gilbert and John Shaw Sedimentation in proglacial Sunwapta Lake, Alberta	81
G. S. Clark, R. Bald, and L. D. Ayres Geochronology of orthogneiss adjacent to the Archean Lake of the Woods greenstone belt, northwestern Ontario: a possible basement complex	94
D. A. Forsyth Characteristics of the western Quebec seismic zone	103
Simon Hammer Tectonic significance of the northeastern Gander Zone, Newfoundland: an Acadian ductile shear zone	120
Calvin J. Heusser and Linda E. Heusser Palynology and paleotemperature analysis of the Whidbey Formation, Puget Lowland, Washington	136
Garry M. Bernacsek and Robert L. Carroll Semicircular canal size in fossil fishes and amphibians	150
Dieter Birk and Robert H. McNutt Geochronology of Wabigoon belt granitoids, northwestern Ontario: Rb/Sr isochrons for seven late-tectonic plutons	157
DISCUSSIONS	
Nelson R. Gadd Glacial geology of Grand Manan Island, New Brunswick: Discussion	176
Robert F. Legget Glacial geology of Grand Manan Island, New Brunswick: Reply	177
J. F. Lewry The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan: Discussion	178

FEBRUARY/FÉVRIER

ARTICLES

David R. Kobluk The record of cavity-dwelling (coelobiontic) organisms in the Paleozoic	181
J. K. Russell Metamorphism of the Thompson nickel belt gneisses: Paint Lake, Manitoba	191
Manuel Berberian and G. C. P. King Towards a paleogeography and tectonic evolution of Iran	210
Glenn W. Berger and Derek York $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Thanet gabbro, Ontario: looking through the Grenvillian metamorphic veil and implications for paleomagnetism	266
C. K. Brooks, J. J. Fawcett, J. Gittins, and J. C. Rucklidge The Bathjerg complex, east Greenland: a unique ultrapotassic Caledonian intrusion	274
Peter P. David Stabilized dune ridges in northern Saskatchewan	286
T. SkwaraWoolf Biostratigraphy and paleoecology of Pleistocene deposits (Riddell Member, Floral Formation, Late Rancholabrean), Saskatoon, Canada	311

A. Turek, T. E. Smith, and C. H. Huang	Rb-Sr whole-rock geochronology of the Gamitagama area, north central Ontario	323
C. S. Churcher	Zebras (Genus <i>Equus</i>) from nine Quaternary sites in Kenya, East Africa	330
Rui Lin	Permian fusulinacean zones and their biogeographic provinces in South China	342
Richard C. Fox	Mammals from the Upper Cretaceous Oldman Formation, Alberta. V. <i>Eodelphis</i> Matthew, and the evolution of the Stagodontidae (Marsupiala)	350
J. F. Lewis and Alan M. Jessop	Heat flow in the Garibaldi volcanic belt, a possible Canadian geothermal energy resource area	366
Stuart A. Harris	Distribution of active glaciers and rock glaciers compared to the distribution of permafrost landforms, based on freezing and thawing indices	376
Ramesh P. Singh and Tarkeshwar Lal	Wave-tilt characteristics of TE-mode waves	382
P. H. Reynolds, M. Zentilli, and G. K. Muecke	K-Ar and $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology of granitoid rocks from southern Nova Scotia: Its bearing on the geological evolution of the Meguma Zone of the Appalachians	386
S. M. Barr and A. M. O'Beirne	Petrology of the Gillis Mountain pluton, Cape Breton Island, Nova Scotia	395

NOTE

Henri E. Gaudette	Zircon isotopic age from the Union ultramafic complex, Maine	405
--------------------------	--	-----

DISCUSSIONS

J. D. Aitken, J. C. Ruelle, and D. G. Cook	Copper mineralization near an intra-Rapitan unconformity, Nite copper prospect, Mackenzie Mountains, Northwest Territories, Canada: Discussion	410
Herwart Helmstaedt, G. H. Eisbacher, and J. A. McGregor	Copper mineralization near an intra-Rapitan unconformity, Nite copper prospect, Mackenzie Mountains, Northwest Territories, Canada: Reply	414

MARCH/MARS

ARTICLES

D. J. Huntley and A. G. Wintle	The use of alpha scintillation counting for measuring Th-230 and Pa-231 contents of ocean sediments	419
K. Douglas Nelson	Mélange development in the Boones Point Complex, north-central Newfoundland	433
H. J. Hofmann and Chen Jinbiao	Carbonaceous megafossils from the Precambrian (1800 Ma) near Jixian, northern China	443
John S. Mothersill	Late Quaternary paleomagnetic record of the Goderich Basin, Lake Huron	448
C. M. Henderson and D. G. Perry	A Lower Jurassic heteroporid bryozoan and associated biota, Turnagain Lake, British Columbia	457
David Clague, Jason Rubin, and Russell Brackett	The age and origin of the garnet amphibolite underlying the Thetford Mines ophiolite, Quebec	469
C. Wang, G. J. Ross, and H. W. Rees	Characteristics of residual and colluvial soils developed on granite and of the associated pre-Wisconsin landforms in north-central New Brunswick	487
Richard N. Hiscott	Stratigraphy and sedimentology of the Late Proterozoic Rock Harbour Group, Flat Islands, Placentia Bay, Newfoundland Avalon Zone	495
R. Bertrand, M. Desjardins et B. Kübler	Application de l'analyse factorielle des correspondances aux gaz adsorbés de l'off-shore du Labrador	509
Elizabeth L. Nicholls and Anthony P. Russell	A new specimen of <i>Struthiomimus altus</i> from Alberta, with comments on the classificatory characters of Upper Cretaceous ornithomimids	518
J. C. Briden and G. R. Arthur	Precision of measurement of remanent magnetization	527

Gabriel Leblanc A closer look at the September 16, 1732, Montreal earthquake	539
George A. McMechan Modeling of zero-offset reflection profiles with asymptotic ray theory	551
Michael D. Higgins and Ronald Doig The Sept Îles anorthosite complex: field relationships, geochronology, and petrology	561
A. B. Reid, E. W. McMurtry, and M. E. Evans Paleomagnetism of the Great Slave Supergroup, Northwest Territories, Canada: multicomponent magnetization of the Kahochella Group	574
Q. H. J. Gwyn, B. J. Fryer, A. Dreimanis, and A. M. Reid Chemical and X-ray diffraction analyses in tills of southern Ontario	584
W. A. Morris A positive fold test from Nipissing diabase	591
H. C. Palmer, H. C. Halls, and L. J. Pesonen Remagnetization in Keweenawan rocks. Part I: conglomerates	599
Réjean Hébert Conglomérats polygéniques ophiolitiques: anciens éboulis de talus de fond océanique?	619
R. Kerrich, B. J. Fryer, K. J. Milner, and M. G. Peirce The geochemistry of gold-bearing chemical sediments, Dickenson Mine, Red Lake, Ontario: a reconnaissance study	624
D. I. Gough and J. S. Bell Stress orientations from oil-well fractures in Alberta and Texas	638
S. R. McCutcheon Revised stratigraphy of the Long Reach area, southern New Brunswick: evidence for major, northwestward-directed Acadian thrusting	646

NOTES

R. L. Coles, G. V. Haines, and W. Hannaford Broad-scale magnetic anomalies over central and eastern Canada: a discussion	657
W. H. Mathews, R. G. Berman, and J. E. Harakal Mid-Tertiary volcanic rocks of the Cascade Mountains, southwestern British Columbia, ages and correlations	662

DISCUSSIONS

L. F. Jansa Storm-dominated shallow marine deposits: the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains: Discussion	665
Anthony P. Hamblin and Roger G. Walker Storm-dominated shallow marine deposits: the Fernie-Kootenay (Jurassic) transition, southern Rocky Mountains: Reply	667

APRIL/AVRIL

ARTICLES

David R. Kobluk Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada	669
P. S. Kumarapeli, A. K. Goodacre, and M. D. Thomas Gravity and magnetic anomalies of the Sutton Mountains region, Quebec and Vermont: expressions of rift volcanics related to the opening of Iapetus	680
G. G. R. Buchbinder, F. M. Anglin, et Roger McNicoll La séismicité provoquée au réservoir LG-2	693
R. D. Dallmeyer, A. L. Odom, C. F. O'Driscoll, and E. M. Hussey Geochronology of the Swift Current granite and host volcanic rocks of the Love Cove Group, southwestern Avalon zone, Newfoundland: evidence of a late Proterozoic volcanic-subvolcanic association	699
R. I. Thorpe, Jayanta Guha, and Jules Cimon Evidence from lead isotopes regarding the genesis of ore deposits in the Chibougamau region, Quebec	708
J. A. Mair and J. A. Lyons Crustal structure and velocity anisotropy beneath the Beaufort Sea	724
M. Das, R. Thapar, K. Rajeshwar, and J. DuBow Thermophysical characterization of oil sands: 3. Electrical properties	742
W. S. McKerrow and L. R. M. Cocks Stratigraphy of eastern Bay of Exploits, Newfoundland	751
C. P. Gravenor and R. K. Leavitt Experimental formation and significance of etch patterns on detrital garnets	765

R. D. Hyndman and R. M. Ellis Queen Charlotte fault zone: microearthquakes from a temporary array of land stations and ocean bottom seismographs	776
Naoji Sugiura A new model for the acquisition of thermoremanence by multidomain magnetite	789
Marsha E. Wright and Roger G. Walker Cardium Formation (U. Cretaceous) at Seebe, Alberta—storm-transported sandstones and conglomerates in shallow marine depositional environments below fair-weather wave base	795

NOTES

Michael P. Foose and R. W. Cooper Faulting and fracturing in part of the Duluth complex, northeastern Minnesota	810
Philip J. Currie The vertebrae of <i>Youngina</i> (Reptilia: Eosuchia)	815
J. W. Geuer and H. S. Hasegawa A model for <i>P</i> -wave nodal solutions	818
Richard Kool The walking speed of dinosaurs from the Peace River Canyon, British Columbia, Canada	823

COMMUNICATION

Garry C. Rogers McNaughton Lake seismicity—more evidence for an Anahim hotspot?	826
--	-----

ERRATA

R. W. Yole and E. Irving Errata: Displacement of Vancouver Island: paleomagnetic evidence from the Karmutsen Formation	828
---	-----

MAY/MAI

ARTICLES

Doyle R. Watts Paleomagnetism of the Fond du Lac Formation and the Eileen and Middle River sections with implications for Keweenaw tectonics and the Grenville problem	829
R. A. Burwash and D. F. Cape Petrology of the Fort Smith – Great Slave Lake radiometric high near Pilot Lake, N.W.T.	842
T. Skara-Woolf and J. F. V. Millar Pleistocene muskox (<i>Ovibos moschatus</i>) from near Saskatoon, Saskatchewan	852
B. Beddoe-Stephens and R. S. J. Lambert Geochemical, mineralogical, and isotopic data relating to the origin and tectonic setting of the Rossland volcanic rocks, southern British Columbia	858
Markes E. Johnson Correlation of Lower Silurian strata from the Michigan Upper Peninsula to Manitoulin Island	869
Timothy E. La Tour Metamorphism and geothermometry near Coniston, Ontario: a clue to the tectonic evolution of the Grenville Front	884
Lars Håkanson On lake bottom dynamics—the energy–topography factor	899
S. McCutcheon, G. Lutes, G. Gauthier, and C. Brooks The Pokiok batholith: a contaminated Acadian intrusion with an anomalous Rb/Sr age	910
R. L. Hall and N. J. Stronach First record of late Bajocian (Jurassic) ammonites in the Fernie Formation, Alberta	919
M. R. Cervenán, F. E. Vermeulen, and F. S. Chute Thermal conductivity and specific heat of oil sand samples	926
C. Brooks and P. Theyer Rb/Sr geochronology in the Thompson belt, Manitoba: implications for Archean crustal development and metallogenesis	932
Randall R. Parrish Geology of the Nemo Lakes belt, northern Valhalla Range, southeast British Columbia	944
John J. Clague Landslides at the south end of Kluane Lake, Yukon Territory	959
David R. Kobluk Lower Cambrian cavity-dwelling endolithic (boring) sponges	972

JUNE/JUIN

ARTICLES

- Edward S. Belt and Louise Brüssières** Upper Middle Ordovician submarine fans and associated facies, northeast of Quebec City 981
- Denis Gapais and Jean-Pierre Brun** A comparison of mineral grain fabrics and finite strain in amphibolites from eastern Finland 995
- C. Barbeau, R. Bougie et J.-E. Côté** Variations spatiales et temporelles du césium-137 et du carbone dans les sédiments du fjord du Saguenay 1004
- M. J. McLeod and S. R. McCutcheon** A newly recognized sequence of possible Early Cambrian age in southern New Brunswick: evidence for major southward-directed thrusting 1012
- J. P. N. Badham** Petrochemistry of late Aphebian (~1.8 Ga) calc-alkaline diorites from the East Arm of Great Slave Lake, N.W.T., Canada 1018
- L. R. M. Cocks and P. Copper** The Ordovician-Silurian boundary at the eastern end of Anticosti Island 1029
- John F. Casey and W. S. F. Kidd** A parallochthonous group of sedimentary rocks unconformably overlying the Bay of Islands ophiolite complex, North Arm Mountain, Newfoundland 1035
- J.-M. Charbonneau et P. St-Julien** Analyse structurale et relations déformation-métamorphisme, Group d'Oak Hill, région du mont Sainte-Marguerite, Appalaches du Québec 1051
- C. Barbeau, R. Bougie, and J.-E. Côté** Temporal and spatial variations of mercury, lead, zinc, and copper in sediments of the Saguenay fjord 1065
- Charles F. Gower and Paul M. Clifford** The structural geometry and geological history of Archean rocks at Kenora, northwestern Ontario—a proposed type area for the Kenoran Orogeny 1075
- Jon M. DeLaurier, F. C. Plet, and M. J. Drury** A geomagnetic depth sounding profile across the northern Yukon and the Mackenzie Delta region, Canada 1092
- David R. Kobluk** Middle Ordovician (Chazy Group) cavity-dwelling boring sponges 1101

DISCUSSION

- G. E. Ray** The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan: Reply 1109

JULY/JUILLET

ARTICLES

- Damian Nance** Tectonic history of a segment of the Pelagonian zone, northeastern Greece 1111
- Peter B. Read and Richard L. Brown** Columbia River fault zone: southeastern margin of the Shuswap and Monashee complexes, southern British Columbia 1127
- Garry Quinlan and Christopher Beaumont** A comparison of observed and theoretical postglacial relative sea level in Atlantic Canada 1146
- Kenneth L. Buchan and Erik J. Schwarz** Uplift estimated from remanent magnetization: Munro area of Superior Province since 2150 Ma ago 1164
- Peter Dankers and Pierre Lapointe** Paleomagnetism of Lower Cambrian volcanics and a cross-cutting Cambro-Ordovician diabase dyke from Buckingham (Quebec) 1174
- K. V. Rao, M. K. Seguin, and E. R. Deutsch** Paleomagnetism of Siluro-Devonian and Cambrian granitic rocks from the Avalon zone in Cape Breton Island, Nova Scotia 1187
- Christopher Brooks, Richard J. Wardle, and Toby Rivers** Geology and geochronology of Helikian magmatism, western Labrador 1211
- Willem J. Vreeken** Distribution and chronology of freshwater marls between Kingston and Belleville, Ontario 1228

AUGUST/AOÛT

ARTICLES

- Helen Tyson** The structure and relationships of the horned dinosaur *Arrhinoceratops* Parks (Ornithischia: Ceratopsidae) 1241
- P. M. Hurley and C. K. Shearer** Paleomagnetic investigations in igneous-metamorphic rock units in eastern New England 1248
- N. R. Catto, R. J. Patterson, and W. A. Gorman** Late Quaternary marine sediments at Chalk River, Ontario 1261
- J. P. Greenhouse and R. C. Bailey** A review of geomagnetic variation measurements in the eastern United States: implications for continental tectonics 1268
- N. H. Gale, E. T. C. Spooner, and P. J. Potts** The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman 1290
- L. P. Pluysnina and I. P. Ivanov** Thermodynamic regime of greenstone metamorphism of basic volcanic rocks after experimental data 1303
- Wm. H. Mathews** Early Cenozoic resetting of potassium-argon dates and geothermal history of north Okanagan area, British Columbia 1310
- Percy G. Strong and Roger G. Walker** Deposition of the Cambrian continental rise: the St. Roch Formation near St. Jean-Port-Joli, Quebec 1320
- Mahmood Alam and David J. W. Piper** Detrital mineralogy and petrology of deep-water continental margin sediments off Newfoundland 1336
- V. S. Papezik and Sandra M. Barr** The Shelburne dike, an early Mesozoic diabase dike in Nova Scotia: mineralogy, chemistry, and regional significance 1346
- Don E. McAllister, Stephen L. Cumbaa, and C. R. Harington** Pleistocene fishes (*Coregonus*, *Osmerus*, *Microgadus*, *Gasterosteus*) from Green Creek, Ontario, Canada 1356
- E. D. Ongley, M. C. Bynoe, and J. B. Percival** Physical and geochemical characteristics of suspended solids, Wilton Creek, Ontario 1365

NOTE

- Philip Marsh and Ming-ko Woo** Snowmelt, glacier melt, and high arctic streamflow regimes 1380

DISCUSSIONS

- Claude Hillaire-Marcel** Late-glacial regional ice-flow patterns in eastern Ontario: Discussion 1385
- P. F. Karrow** Late-glacial regional ice-flow patterns in eastern Ontario: Discussion 1386
- Nelson R. Gadd** Late-glacial regional ice-flow patterns in eastern Ontario: Reply 1390

SEPTEMBER/SEPTEMBRE

ARTICLES

- H. C. Halls and H. C. Palmer** Remagnetization in Keweenawan rocks. Part II: lava flows within the Copper Harbor Conglomerate, Michigan 1395
- Richard W. Wiener** Tectonic setting, rock chemistry, and metamorphism of an Archean gabbro-anorthosite complex, Tessiuyakh Bay, Labrador 1409
- P. G. Johnson** The structure of a talus-derived rock glacier deduced from its hydrology 1422
- R. D. Dallmeyer, R. F. Blackwood, and A. L. Odom** Age and origin of the Dover Fault: tectonic boundary between the Gander and Avalon Zones of the northeastern Newfoundland Appalachians 1431
- Stephen R. Hicock and John E. Armstrong** Coquitlam Drift: a pre-Vashon Fraser glacial formation in the Fraser Lowland, British Columbia 1443

G. K. C. Clarke and W. H. Mathews	Estimates of the magnitude of glacier outburst floods from Lake Donjek, Yukon Territory, Canada	1452
Thomas E. Ewing	Regional stratigraphy and structural setting of the Kamloops Group, south-central British Columbia	1464
Thomas E. Ewing	Petrology and geochemistry of the Kamloops Group volcanics, British Columbia	1478
J. E. FitzGibbon	Thawing of seasonally frozen ground in organic terrain in central Saskatchewan	1492
S. Poplawski and P. F. Karrow	Ostracodes and paleoenvironments of the late quaternary Don and Scarborough Formations, Toronto, Ontario	1497
Erich Dimroth, Gerard Woussen, and Denis W. Roy	Geologic history of the Saguenay region, Quebec (Central Granulite Terrain of the Grenville Province): a working hypothesis	1506

OCTOBER/OCTOBRE

ARTICLES

C. E. Keen and A. Cordsen	Crustal structure, seismic stratigraphy, and rift processes of the continental margin off eastern Canada: ocean bottom seismic refraction results off Nova Scotia	1523
Brian Jones	Atrypoida species from the Canadian Arctic islands	1539
John H. Lake	Sedimentology and paleoecology of Upper Ordovician mounds of Anticosti Island, Quebec	1562
J. K. Park	Paleomagnetism of the Late Proterozoic sills in the Tsezotene Formation, Mackenzie Mountains, Northwest Territories, Canada	1572
John V. Ross	A geodynamic model for some structures within and adjacent to the Okanagan Valley, southern British Columbia	1581
Douglas A. Hackbarth	Natural temporal variations in the chemistry of shallow groundwater, Athabasca Oil Sands area, Alberta	1599
Ed Landing and Christopher R. Barnes	Conodonts from the Cape Clay Formation (Lower Ordovician), southern Devon Island, Arctic Archipelago	1609

NOTES

Mauri Pyökäri	Ice action on lakeshores near Schefferville, central Quebec - Labrador, Canada	1629
Angus Ferguson and Gerald Osborn	Minimum age of deglaciation of upper Elk Valley, British Columbia	1635
J. K. Park	Paleomagnetism of basic intrusions from the Brock Inlier, Northwest Territories, Canada	1637

NOVEMBER/NOVEMBRE

ARTICLES

M. Gascoyne, D. C. Ford, and H. P. Schwarcz	Late Pleistocene chronology and paleoclimate of Vancouver Island determined from cave deposits	1643
Lars E. Fåhræus and David R. Hunter	Paleoecology of selected conodontophorid species from the Cobbs Arm Formation (middle Ordovician), New World Island, north-central Newfoundland	1653
J. Ross Mackay	Active layer slope movement in a continuous permafrost environment, Garry Island, Northwest Territories, Canada	1666
D. H. Rousell	Fabric and origin of gneissic layers in anorthositic rocks of the St. Charles sill, Ontario	1681
Samuel Y. Johnson	The Spieden Group: an anomalous piece of the Cordilleran paleogeographic puzzle	1694
R. M. Ellis and B. Chandra	Seismicity in the Mica Reservoir (McNaughton Lake) area: 1973-1978	1708
C. J. Yorath and R. L. Chase	Tectonic history of the Queen Charlotte Islands and adjacent areas—a model	1717

- Stephen L. Cumbaa, Don E. McAllister, and Richard E. Morlan** Late Pleistocene fish fossils of *Coregonus*, *Stenodus*, *Thymallus*, *Catostomus*, *Lota*, and *Cottus* from the Old Crow basin, northern Yukon, Canada 1740

- W. A. Morris** Fault block rotations in the Southern Province as defined by paleomagnetism of the Nipissing diabase 1755

NOTE

- B. Dressler** Post-tectonic igneous rocks: north-central Labrador geosyncline 1758

DISCUSSIONS

- S. J. Haynes** Towards a paleogeography and tectonic evolution of Iran: Discussion 1763

- Manuel Berberian and G. C. P. King** Towards a paleogeography and tectonic evolution of Iran: Reply 1764

DECEMBER/DÉCEMBRE

ARTICLES

- L. C. Struik** A re-examination of the type area of the Devono-Mississippian Cariboo Orogeny, central British Columbia 1767

- M. K. Seguin, K. V. Rao, D. V. Venugopal, and E. Gahe** Paleomagnetism of parts of the Late Triassic diabase dike system associated with the trans-New Brunswick aeromagnetic lineament 1776

- H. W. Tipper** Offset of an upper Pliensbachian geographic zonation in the North American Cordillera by transient movement 1788

- B. H. Dickson, R. C. Bailey, and R. L. Grasty** Utilizing multi-channel airborne gamma-ray spectra 1793

- J. F. Barker and P. Fritz** The occurrence and origin of methane in some groundwater flow systems 1802

- Jean Lafleur and Donald D. Hogarth** Cambro-Proterozoic volcanism near Buckingham, Quebec 1817

- D. Keith McE. Kevan and Dennis C. Wighton** Paleocene orthopteroids from south-central Alberta, Canada 1824

- R. Bertrand et Y. Héroux** Carbone organique: indicateur potentiel de paléoenvironnements; deux exemples 1838

- P. H. Reynolds, K. A. Taylor, and W. R. Morgan** $^{40}\text{Ar}/^{39}\text{Ar}$ ages from the Botwood - Mount Peyton region, Newfoundland: possible paleomagnetic implications 1850

- Y. Héroux, R. Bertrand, A. Chagnon, J. Connan, J.-L. Pittion et B. Kübler** Évolution thermique et potentiel pétrologique par l'étude des kérogènes, des extraits organiques, des gaz adsorbés, des argiles, du sondage Karlsefni H-13 (offshore Labrador, Canada) 1856

- Tomas Feininger** Amphibolite associated with the Thetford Mines Ophiolite Complex at Belmina Ridge, Quebec 1878

- Maurice K. Seguin, Kamal N. M. Sharma et Gérard Woussen** Étude paléomagnétique des roches protérozoïques de la formation de Sakami, région de la Grande Rivière, Territoire du Nouveau-Québec, Canada 1893

NOTE

- N. Champigny, C. M. Henderson, and G. E. Rouse** New evidence for the age of the Skonun Formation, Queen Charlotte Islands, British Columbia 1900

- Note of Appreciation/Note de reconnaissance** iii

- Author Index for Volume 18/Index des auteurs pour volume 18** AI-1

- Subject Index for Volume 18/Index des matières pour volume 18** SI-1

- Contents for Volume 18/Sommaire pour volume 18** vii

